

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|-----------|-----------|---------|
| A1 Medium | APHA | 500 g | 610105 |
| Basal liquid medium for fecal coliforms detection in water and food. | | 100 g | 620105 |
| TRITON X 100 supplement | | 5x5 mL | 80046 |
| Acetamide Agar | | 500 g | 610312 |
| Medium for differentiation of nonfermentative, gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization. | | | |
| Acetamide Broth | | 500 g | 610313 |
| Broth for the differentiation of nonfermentative, gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization. | | | |
| Aeromonas Agar Base | | 500 g | 610048 |
| Basal medium for selective isolation of Aeromonas. | | 100 g | 620048 |
| Ampicillin supplement | | 10 vials | 81001 |
| Alkaline Peptone Water | APHA | 500 g | 610098 |
| Liquid enrichment medium for <i>Vibrio</i> spp. isolation. | | 100 g | 620098 |
| Amies Transport Medium (with charcoal) | | 500 g | 610152 |
| Semi-solid medium for transport of clinical, environmental specimens and of microorganisms. | | 100 g | 620152 |
| | | 5 kg | 6101525 |
| Amies Transport Medium (w/o charcoal) | | 500 g | 610191 |
| Semi-solid medium for transport of clinical, environmental specimens and of microorganisms. | | 100 g | 620191 |
| | | 5 kg | 6101915 |
| Anaerobic Agar (Brewer) | | 500 g | 610320 |
| Medium for cultivating anaerobic microorganisms. | | | |
| Andrade Lactose Peptone Water | | 500 g | 610118 |
| Liquid medium for coliforms detection with andrade's indicator. | | 100 g | 620118 |
| Andrade Peptone Water | | 500 g | 610119 |
| Liquid enrichment medium with andrade's indicator. | | 100 g | 620119 |
| Antibiotic Agar No.1 | E.P. | 500 g | 610314 |
| Surface medium for the antibiotic assay by Agar-diffusion method. | | | |
| Antibiotic Broth No.3 | U.S.P. | 500 g | 610316 |
| Broth for turbidimetric assay of antibiotics. | | | |
| Antibiotic Agar No.11 | E.P. | 500 g | 610315 |
| Medium for the microbiological assay of neomycin, used for the base and seed layers. | | | |
| APT Agar | APHA | 500 g | 610300 |
| Medium for counting and cultivating heterofermentative lactic acid bacteria. | | | |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Arginine Decarboxylase Broth | | 500 g | 610306 |
| Broth for the detection of the production of arginine decarboxylase by <i>Enterobacteriaceae</i> . | | | |
| Asparagine Enrichment Broth | APHA | 500 g | 610138 |
| Liquid medium for <i>Pseudomonas aeruginosa</i> detection with MPN method in swimming pools and waters designed for bathing. | | 100 g | 620138 |
| Azide Blood Agar Base | | 500 g | 610153 |
| Selective basal medium for streptococci isolation. | | 100 g | 620153 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| AzideAzide Dextrose Broth | APHA | 500 g | 610003 |
| Selective liquid medium for fecal streptococci detection in water and food. | | 100 g | 620003 |
| Azide Maltose Agar KF | APHA | 500 g | 610154 |
| Selective medium for fecal streptococci isolation and enumeration. | | 100 g | 620154 |
| TTC 1% supplement | | 5x10 mL | 80300 |
| Azide Violet Blood Agar Base | | 500 g | 610155 |
| Selective basal medium for streptococci isolation. | | 100 g | 620155 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Bacillus Cereus Agar Base (MOSEL, MYP) | ISO 7932 | 500 g | 610114 |
| Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> . | | 100 g | 620114 |
| Egg Yolk emulsion | ISO 7932 | 4x50 mL | 80219 |
| Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation. | | | |
| Bacillus cereus supplement (Polymyxin B) | | 10 vials | 81016 |
| Bacillus Cereus Agar Base (PEMBA) | ISO 21871 | 500 g | 610136 |
| Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> . | | 100 g | 620136 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|----------------------|------------------------|-----------------------------|
| Egg Yolk emulsion Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation. | ISO 7932 | 4x50 mL | 80219 |
| Bacillus cereus supplement (Polymyxin B) | | 10 vials | 81016 |
| Baird Parker Agar Base Selective basal medium for <i>Staphylococcus aureus</i> isolation. | ISO 6888-1 | 500 g 100 g | 610004 620004 |
| Egg Yolk Tellurite emulsion Supplement for coagulase positive staphylococci isolation in food. | ISO 6888-1 | 4x50 mL | 80122 |
| R.P.F. supplement Selective and diagnostic supplement for isolation, enumeration and confirmation of <i>Staphylococcus aureus</i> from food and other specimens. | ISO 6888-2 | 8 vials | 81057 |
| Baird Parker Agar Base acc. to E.P. Selective basal medium for <i>Staphylococcus aureus</i> isolation. | E.P. | 500 g | 610338 |
| Egg Yolk Tellurite emulsion Supplement for coagulase positive staphylococci isolation in food. | ISO 6888-1 | 4x50 mL | 80122 |
| Barnes Agar Base Selective basal medium for fecal streptococci isolation and identification. | | 500 g 100 g | 610156 620156 |
| TTC 1% supplement | | 5x10 mL | 80300 |
| BAT Agar Medium for detection of <i>Alicyclobacillus</i> spp. in fruit juices and other beverages. | | 500 g | 610361 |
| Beer Universal Agar Medium for isolation of microorganisms contaminating beer. | | 500 g 100 g | 610126 620126 |
| Biggy (Nickerson) Agar Selective medium for <i>Candida</i> spp. isolation and presumptive identification. | | 500 g 100 g | 610135 620135 |
| Bile Aesculin Agar Medium for group D streptococci isolation. | | 500 g 100 g | 610210 620210 |
| Bile Aesculin Broth Selective medium for group D streptococci isolation. | ISO 7899-2 | 500 g 100 g | 610151 620151 |
| Bile Aesculin Azide Agar Selective medium for group D streptococci isolation. | ISO 7899-2 | 500 g 100 g | 610001 620001 |
| Biotone Agar Medium for fastidious microorganisms cultivation. | APHA | 500 g 100 g | 610157 620157 |
| Bismuth Sulfite Agar Selective medium for isolation and differentiation of <i>Salmonella typhi</i> and other salmonellae from clinical specimens and other materials. | U.S.P. | 500 g | 610301 |
| Blood Agar Base Basal medium for fastidious microorganisms isolation and for haemolysis test. | | 500 g 100 g | 610005 620005 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Blood Agar Base No.2 Basal medium for fastidious microorganisms isolation and for haemolysis test. | ISO 10560 | 500 g 100 g | 610188 620188 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Bolton Broth Basal Broth for enrichment of <i>Campylobacter</i> spp. | ISO 10272-1 | 500 g 100 g | 610216 620216 |
| Campylobacter C.T.V.A. supplement (Cefoperazone, Trimethoprim, Vancomycin, Amphotericin B) Selective supplement for enrichment of <i>Campylobacter</i> spp. | ISO 10272-1 | 10 vials | 81077 |
| BORDET GENGOU Agar BASE Basal medium for selective isolation of <i>Bordetella</i> spp. | | 500 g 100 g | 610006 620006 |
| Bordetella supplement (Cephalexin) | | 10 vials | 81013 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Brain Heart Infusion Agar Medium for cultivation of fastidious aerobic and anaerobic bacteria. | | 500 g 100 g | 610007 620007 |
| Brain Heart Infusion Broth Medium for cultivation of fastidious aerobic and anaerobic bacteria. | | 500 g 100 g 5 kg | 610008 620008 6100085 |
| Brilliant Green Agar Selective medium for <i>Salmonella</i> spp. isolation other than <i>S. typhi</i> . | U.S.P. | 500 g 100 g | 610009 620009 |
| Brilliant Green Bile Broth 2% Selective medium for detection and confirmation of coliforms. | ISO 4831 ISO 4832 | 500 g 100 g 5 kg | 610010 620010 6100105 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|--|-------------|-----------|----------|
| Bromocresol Purple Azide Broth | | 500 g | 610321 |
| Broth for the confirmation of the enterococci presence, particularly in the bacteriological analysis of water. | | | |
| Glycerol supplement (Glycerol) | | 4x50 mL | 80021 |
| Brucella Agar Base | APHA | 500 g | 610079 |
| Basal medium for selective isolation of <i>Brucella</i> spp. and other bacteria. | | 100 g | 620079 |
| Brucella supplement (Polymyxin B, Bacitracin, Cyclohexinide, Nalidixic Acid, Nystatin, Vancomycin) | | 10 vials | 81003 |
| Brucella Broth | | 500 g | 610356 |
| Medium for the cultivation of <i>Brucella</i> spp. and other fastidious microorganisms. | | | |
| Bryant and Burkey Medium | | 500 g | 610142 |
| Medium for the selective enrichment of lactate-fermenting clostridia (<i>C. tyrobutyricum</i>) which are responsible for "late blowing" in brine-salted semi-hard and hard cheeses and other dairy products. | | | |
| Buffered Peptone Water | ISO 6579 | 500 g | 611014 |
| Medium for <i>Salmonella</i> pre-enrichment in food. | ISO 6785 | 100 g | 621014 |
| | | 5 Kg | 6110145 |
| Buffered Sodium Chloride Peptone Solution acc. to E.P. | ISO 21149 | 500 g | 610335 |
| Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution. | E.P. | | |
| Campylobacter Agar | AOAC | 500 g | 611007 |
| Basal medium for selective isolation of <i>Campylobacter</i> spp. | | 100 g | 621007 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Lysed horse blood | | 100 mL | 83397 |
| Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphate, Ferrous sulphate) | | 10 vials | 81050 |
| Campylobacter Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cephalotin, Vancomycin) | | 10 vials | 81051 |
| Campylobacter Preston supplement (Polymyxin B, Trimethoprim, Cyclohexinide, Rifampicin) | | 10 vials | 81004 |
| Campylobacter Skirrow supplement (Polymyxin B, Trimethoprim, Vancomycin) | | 10 vials | 81055 |
| Campylobacter Blood Free Medium Base | ISO 10272-1 | 500 g | 610130 |
| Basal medium for selective isolation of <i>Campylobacter jejuni</i> , <i>coli</i> , <i>landis</i> from clinical samples. | | 100 g | 620130 |
| Campylobacter C.C.D.A. supplement (Cefoperazone, Amphotericin B). | ISO 10272-1 | 10 vials | 81037 |
| Campylobacter Enrichment Broth Base | | 500 g | 610131 |
| Basal Broth for selective enrichment of <i>Campylobacter</i> spp. | | 100 g | 620131 |
| Campylobacter C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Nystatin) | | 10 vials | 81038 |
| Campylobacter Karmali Agar Base | AOAC | 500 g | 610200 |
| Basal medium for selective isolation of <i>Campylobacter</i> spp. | | 100 g | 620200 |
| Campylobacter Karmali supplement (Sodium pyruvate, Cefoperazone, Vancomycin, Cyclohexinide) | | 10 vials | 81036 |
| Cary Blair Transport Medium | | 500 g | 611402 |
| Semi-solid medium for transport of clinical specimens and microorganisms. | | 100 g | 621402 |
| Casein Peptone Lecithin Polysorbate Broth Base | U.S.P. | 500 g | 610302 |
| Broth for diluting samples of pharmaceutical, cosmetic and other raw materials or final products when determining microbial counts. | | | |
| Tween 20 supplement | | 2x50 mL | 80032 |
| Cetrimide Agar | E.P. | 500 g | 610041 |
| Selective basal medium for <i>Pseudomonas aeruginosa</i> isolation. | | 100 g | 620041 |
| | | 5 kg | 6100415 |
| Glycerol supplement | | 4x50 mL | 80021 |
| China-Blue Lactose Agar | | 500 g | 610362 # |
| Non-selective medium for enumeration and differentiation of bacteria in dairy products. | | | |
| CLED Agar | | 500 g | 610012 |
| Differential medium for total bacterial count of urine. | | 100 g | 620012 |
| | | 5 kg | 6100125 |
| CLED Andrade Agar | | 500 g | 610112 |
| Medium for total bacterial count of urine. | | 100 g | 620112 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|-------------|-----------|---------|
| Clostridium Broth | ISO 6461-1 | 500 g | 610056 |
| Semisolid medium for clostridia and other anaerobes cultivation in food and clinical samples. | E.P. | 100 g | 620056 |
| Clostridium difficile Agar Base | | 500 g | 610115 |
| Basal medium for selective isolation of <i>Clostridium difficile</i> . | | 100 g | 620115 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Clostridium difficile supplement (D-Cyclozenine, Cefoxitin) | | 10 vials | 81007 |
| Clostridium Perfringens Agar Base | ISO 7937 | 500 g | 610207 |
| Basal medium for selective isolation of <i>Clostridium perfringens</i> . | ISO 14189 | 100 g | 620207 |
| Egg Yolk emulsion | ISO 7932 | 4x50 mL | 80219 |
| Enrichment supplement for lecithinase producing bacteria (Staphylococcus, Bacillus and Clostridium) isolation. | | | |
| Clostridium perfringens (T.S.C.) supplement (D-Cycloserine). | ISO 7937 | 10 vials | 81011 |
| Kanamycin / Polymyxin B supplement | | 10 vials | 81031 |
| Columbia Agar Base | | 500 g | 610013 |
| Basal medium for fastidious microorganisms isolation. | | 100 g | 620013 |
| | | 5 kg | 6100135 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| CNA (Staf/Strep) supplement (Colistin, Nalidixic acid) | | 10 vials | 81048 |
| Gardnerella vaginalis supplement (Gentamicin, Nalidixic acid, Amphotericin B) | | 10 vials | 81040 |
| Columbia CNA Agar Base | | 500 g | 610113 |
| Selective medium for isolation of streptococci and staphylococci. | | 100 g | 620113 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Corn Meal Agar | | 500 g | 610123 |
| Medium for the cultivation of fungi and chlamyospore production. | | 100 g | 620123 |
| C.P.L.M. Selective with CAF | | 500 g | 610159 |
| Selective medium for <i>Trichomonas vaginalis</i> isolation and cultivation. | | 100 g | 620159 |
| HORSE SERUM | | 100 mL | 83810 |
| Cystine Heart Agar | | 500 g | 610506 |
| Medium for cultivating <i>Francisella tularensis</i> and gram-negative cocci. | | | |
| Czapek Dox Agar | ISO 6461-1 | 500 g | 610095 |
| Medium for cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source. | | 100 g | 620095 |
| Czapek Dox Broth | | 500 g | 610072 |
| Liquid medium or cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source. | | 100 g | 620072 |
| DNase Test Agar | | 500 g | 610205 |
| Medium for detection of deoxyribonucleasic activity (DNase) of microorganisms. | | 100 g | 620205 |
| Demi Fraser Broth | ISO 11290-1 | 500 g | 610091 |
| Basal Broth for <i>Listeria</i> enrichment. | | 100 g | 620091 |
| LISTERIA Fraser supplement (Ferric ammonium citrate) | | 10 vials | 81028 |
| Dermatophyte (D.T.M.) Agar | | 500 g | 610160 |
| Selective medium for selective isolation of dermatophytic fungi. | | 100 g | 620160 |
| Dermatophyte supplement (Chlortetracycline) | | 10 vials | 81025 |
| Desoxycholate Agar | APHA | 500 g | 610014 |
| Selective medium for enterobacteria isolation. | | 100 g | 620014 |
| | | 5 kg | 6100145 |
| Desoxycholate Citrate Agar | | 500 g | 610015 |
| Selective medium for pathogenic enterobacteria isolation. | | 100 g | 620015 |
| Dextrose Agar | | 500 g | 610002 |
| Medium for cultivation and maintaining of microorganisms. | | 100 g | 620002 |
| Dextrose Broth | | 500 g | 610161 |
| Broth for cultivation and maintaining of microorganisms. | | 100 g | 620161 |
| Dextrose Tryptone Agar | | 500 g | 610198 |
| Medium for the enumeration of spores of mesophilic and thermophilic Bacillus in sugar, sweet desserts, aromatic preparation and other foodstuffs. | | | |
| Drigalski Lactose Agar | | 500 g | 610016 |
| Selective medium for pathogenic enterobacteria isolation. | | 100 g | 620016 |
| D/E Neutralizing Broth | | 500 g | 610088 |
| Broth for the neutralization and testing of antiseptics and disinfectants according to the procedure of Engley and Dey. | | | |
| Tween 80 supplement | | 2x50 mL | 80031 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|--|------------|--|---|
| E.C. Broth Selective Broth for fecal coliforms detection and for <i>E. coli</i> confirmation. | ISO 7251 | 500 g 100 g | 610063 620063 |
| E.C. Broth MUG Selective broth for fecal coliforms and <i>E. coli</i> detection in water. | | 500 g | 610332 |
| E.E. Broth Broth for enterobacteria selective enrichment. | E.P. | 500 g 100 g | 610017 620017 |
| E.M.B. Levine Agar Selective medium for gram-negative enteric bacteria isolation. | U.S.P. | 500 g 100 g | 610019 620019 |
| Endo Agar Medium for coliforms detection, enumeration and confirmation. | APHA | 500 g 100 g | 610020 620020 |
| Enterobacter (Cronobacter) sakazakii Isolation Agar Selective medium for <i>Cronobacter sakazakii</i> isolation. | ISO 22964 | 500 g | 610623 |
| Eugon LT 100 Agar Medium for count and isolation of mesophilic bacteria in cosmetics. Lecithin Supplement | ISO 21149 | 500 g 4x50 mL | 610327 80007 |
| Eugon Broth General purpose medium for cultivating a wide variety of microorganisms from clinical and non-clinical specimens. Eugon LT 100 Supplement Lecithin Supplement | | 500 g 4x40 mL 4x50 mL | 610341 80048 80007 |
| E.V.A. Broth (Ethyl Violet Azide) Selective broth for enterococci detection in water and other samples. | APHA | 500 g 100 g | 611365 621365 |
| Fermentation Broth Base Liquid medium for the carbohydrate utilization test. | ISO 11290 | 500 g | 610030 # |
| Gassner Agar Selective agar for the detection and isolation of pathogenic Enterobacteriaceae in food and other material according to Gassner. | | 500 g | 610366 # |
| G.C. Medium Basal medium for <i>Haemophilus</i> spp. and <i>Neisseria</i> spp. isolation. HORSE BLOOD Defibrinated VITALEX growth supplement L.C.A.T. supplement (Lincomycin, Colistin, Amphotericin B, Trimethoprim) V.C.A.T. supplement (Vancomycin, Colistin, Amphotericin B, Trimethoprim) V.C.N. supplement (Vancomycin, Colistin, Nystatin) V.C.N.T. supplement (Vancomycin, Colistin, Nystatin, Trimethoprim) HAEMOPHILUS supplement (Bacitracin, Vancomycin, Clindamycin) | | 500 g 100 g 100 mL 10 vials 10 vials 10 vials 10 vials 10 vials 10 vials | 610022 620022 83396 81023 81012 81041 81022 81024 81014 |
| Gelatin Peptone Agar (Agar gelisato) Medium for total bacterial count of aerobes in ice creams. | AOAC | 500 g 100 g 5 kg | 610054 620054 6100545 |
| Giolitti Cantoni Broth Base Basal broth for <i>Staphylococcus aureus</i> enrichment. Potassium Tellurite 3.5% supplement | ISO 6888-3 | 500 g 100 g 5x10 mL | 610100 620100 80291 |
| Glucose Salt Teepol Broth Medium for selective enrichment and enumeration (MPN method) of <i>Vibrio parahaemolyticus</i> from foodstuffs. | | 500 g | 610359 |
| G.N. Hajna Broth Broth for gram-negatives enrichment. | | 500 g 100 g | 610163 620163 |
| Heart Infusion Broth Broth for fastidious bacteria cultivation. | AOAC | 500 g 100 g 5 kg | 611021 621021 6110215 |
| Hektoen Enteric Agar Selective medium for pathogenic enterobacteria isolation. | ISO 21567 | 500 g 100 g 5 kg | 610021 620021 6100215 |
| Herellea Agar Selective medium for isolation from urethral and vaginal specimens. | | 500 g 100 g 5 kg | 610164 620164 6101645 |
| HHD Broth Medium for differentiation of heterofermentative and homofermentative lactic bacteria. | | 500 g 100 g | 610064 # 620064 # |
| Iron Sulfite Agar Medium for thermophilic anaerobes determination. | | 500 g 100 g | 611401 621401 |
| Isosensitest Agar Medium for susceptibility test. | | 500 g 100 g | 611265 621265 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|-------------|-----------|--------|
| Kanamycin Aesculin Azide Agar | APHA | 500 g | 610190 |
| Selective medium for isolation of group D streptococci in food. | | 100 g | 620190 |
| Kligler Iron Agar | ISO 10273 | 500 g | 610023 |
| Differential medium for enterobacteria identification. | | 100 g | 620023 |
| Lactose Broth | ISO 9308-2 | 500 g | 611202 |
| Broth for coliforms detection. | | 100 g | 621202 |
| Lactose Gelatin Medium | ISO 7937 | 500 g | 610360 |
| Dehydrated medium for the identification of <i>C. perfringens</i> by lactose and gelatin test. | | | |
| Lactose Sulfite Broth | ISO 7937 | 500 g | 610358 |
| Selective medium for the detection and enumeration of spores of <i>Clostridium perfringens</i> in food products. | | | |
| Lauryl Pepto Broth | ISO 7251 | 500 g | 610189 |
| Broth for selective enrichment of coliforms in water and dairy products. | | 100 g | 620189 |
| Lauryl Sulfate Tryptose Broth Modified (m-LST) | ISO 22964 | 500 g | 610247 |
| Selective medium for the enrichment of <i>Cronobacter sakazakii</i> . | | | |
| Lauryl Tryptose Broth | ISO 7251 | 500 g | 610085 |
| Broth for selective enrichment of coliforms in water and dairy products. | | 100 g | 620085 |
| Koser Citrate Broth | AOAC | 500 g | 610165 |
| Broth for enterobacteria differentiation on the basis of their capability of utilizing citrate as the sole carbon source. | | 100 g | 620165 |
| LB Agar | | 500 g | 610245 |
| Medium for cultivation of recombinant <i>Escherichia coli</i> . | | | |
| LB Medium (Luria Bertani) | | 500 g | 610084 |
| Medium for cultivation of recombinant <i>Escherichia coli</i> . | | 100 g | 620084 |
| Legionella CYE Agar Base (w/o ACES and α-Ketoglutaric Acid) | ISO 11731-1 | 500 g | 610125 |
| Basal medium for <i>Legionella</i> spp. isolation. | | 100 g | 620125 |
| Legionella (BCYE) growth supplement (Aces, L-cysteine, Ferric pyrophosphate, α -ketoglutarate). | ISO 11731-1 | 10 vials | 81056 |
| Legionella (BCYE) growth supplement w/o L-Cysteine | | 10 vials | 81091 |
| Legionella (BMPA) supplement (Cefamandole, Polymyxin B, Anisomycin) | | 10 vials | 81002 |
| Legionella (GVPC) supplement (Glycine, Vancomycin, Polymyxin B, Cycloheximide). | ISO 11731-1 | 10 vials | 81008 |
| Legionella (MWY) supplement (Anisomycin, Polymyxin B, Vancomycin, Glycine, Bromothynol Blue, Bromocrystal Purple). | | 10 vials | 81019 |
| Lethen Agar Base | | 500 g | 610076 |
| Basal medium for coefficient phenol detection of quaternary ammonium disinfectants. | | 100 g | 620076 |
| Lethen supplement (Lecithin) | | 4x50 mL | 80008 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Lethen Broth Base | AOAC | 500 g | 610208 |
| Basal medium for coefficient phenol detection of quaternary ammonium disinfectants. | | 100 g | 620208 |
| Lethen supplement (Lecithin) | | 4x50 mL | 80008 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Lethen Broth Modified | ISO 21149 | 500 g | 610328 |
| Medium for the evaluation of bactericidal activity of quaternary ammonium base. | | | |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Listeria Enrichment Broth Base (Lovett) | APHA | 500 g | 610326 |
| Broth for enrichment of <i>Listeria</i> spp. according to Lovett formulation. | | 100 g | 620326 |
| Listeria Supplement for Enrichment (FDA/IDF) | | 10 vials | 81045 |
| Selective supplement for <i>Listeria</i> isolation. | | | |
| Listeria Fraser Broth | ISO 11290-1 | 500 g | 610166 |
| Basal medium for <i>Listeria monocytogenes</i> selective enrichment. | | 100 g | 620166 |
| Listeria Fraser supplement (Ferric ammonium citrate) | | 10 vials | 81028 |
| Listeria Oxford Agar Base | ISO 11290-1 | 500 g | 610167 |
| Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> . | | 100 g | 620167 |
| Listeria Oxford supplement (Cefotetan, Fosfomycin) | | 10 vials | 81027 |
| Listeria Oxford Agar Base ISO 11290 | ISO 11290-1 | 500 g | 610231 |
| Basal medium w/o antibiotics and acriflavine for the isolation of <i>L. monocytogenes</i> . | | | |
| Listeria Oxford with CEF/FOS/COL/CYC/ACR supplement (Cefotetan, Fosfomycin, Colistin, Cycloheximide, Acriflavine) | | 10 vials | 81629 |
| Listeria Palcam Agar Base | ISO 11290-1 | 500 g | 610168 |
| Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> . | | 100 g | 620168 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|--|-----------|-----------|----------|
| Listeria Palcam supplement (Polymyxin B, Ceftazidime, Acriflavina HCl) | | 10 vials | 81026 |
| Listeria U.V.M. 1 Broth | USDA-FSIS | 500 g | 610031 |
| Broth for <i>Listeria monocytogenes</i> selective enrichment. | | 100 g | 620031 |
| Listeria U.V.M. 2 Broth | USDA-FSIS | 500 g | 610045 |
| Broth for <i>Listeria monocytogenes</i> selective enrichment. | | 100 g | 620045 |
| Litmus Milk | | 500 g | 610318 |
| Medium for the maintenance of lactic acid bacteria and for the determination of bacterial action on milk. | | | |
| Lowenstein Jensen Medium | | 500 g | 610026 |
| Selective medium for mycobacteria isolation. | | 100 g | 620026 |
| Glycerol supplement (Glycerol) | | 4x50 mL | 80021 |
| Lysine Decarboxylase Broth | APHA | 500 g | 610303 |
| Broth for the detection of the production of Lysine decarboxylase by <i>Enterobacteriaceae</i> . | | | |
| Lysine Iron Agar | | 500 g | 610027 |
| Differential medium for enterobacteria isolation. | | 100 g | 620027 |
| M17 Agar | | 500 g | 610192 |
| Medium for lactic streptococci cultivation. | | 100 g | 620192 |
| M.R.S. Agar | ISO 15214 | 500 g | 610024 |
| Basal medium for <i>Lactobacillus</i> isolation. | | 100 g | 620024 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| M.R.S. Broth | ISO 15214 | 500 g | 610025 |
| Basal medium for <i>Lactobacillus</i> enrichment and isolation. | | 100 g | 620025 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| M.S.R.V. (Modified Semisolid Rappaport Vassiliadis) Medium Base | | 500 g | 610018 |
| Semisolid basal medium for selective isolation of motile <i>Salmonella</i> spp. | | 100 g | 620018 |
| Novobiocin supplement | ISO 6579 | 10 vials | 81021 |
| MacConkey Agar | E.P. | 500 g | 610028 |
| Selective and differential medium for coliforms and intestinal pathogens isolation. | | 100 g | 620028 |
| | | 5 kg | 6100285 |
| MUG supplement | | 10 vials | 81020 |
| MacConkey Agar w/o Crystal Violet | | 500 g | 610195 |
| Differential moderately selective medium for enterobacteria isolation. | | 100 g | 620195 |
| MacConkey Agar w/o Bile Salt | | 500 g | 610128 |
| Selective and differential medium for coliforms isolation with <i>Proteus</i> spp. swarming inhibition. | | | |
| MacConkey Broth | E.P. | 500 g | 610337 |
| Selective and differential broth for the detection of coliforms in water, milk and other materials of sanitary importance. | | | |
| MacConkey Broth (Purple) | | 500 g | 610171 |
| Selective and differential broth for coliforms isolation (with BCP). | | 100 g | 620171 |
| MacConkey Broth Modified (w/o NaCl) | | 500 g | 610149 |
| Selective and differential broth for coliforms isolation (with BCP). | | 100 g | 620149 |
| MacConkey MUG Agar | | 500 g | 610170 |
| Selective and differential medium for <i>Escherichia coli</i> isolation. | | 100 g | 620170 |
| | | 5 kg | 6101705 |
| MacConkey Sorbitol Agar | | 500 g | 610108 |
| Selective and differential medium for <i>E. coli</i> O157 isolation. | | 100 g | 620108 |
| Cefixime Tellurite Supplement | | 10 vials | 81082 |
| Malonate Broth | | 500 g | 610172 |
| Broth for enterobacteria differentiation. | | 100 g | 620172 |
| Malt Agar | AOAC | 500 g | 610101 |
| Medium for yeasts and moulds isolation and enumeration. | | 100 g | 620101 |
| Malt Extract Agar | | 500 g | 610173 |
| Medium for yeasts and moulds isolation and enumeration. | | 100 g | 620173 |
| Malt Extract Broth | AOAC | 500 g | 610069 |
| Broth for yeasts and moulds culture. | | 100 g | 620069 |
| Malt Yeast CAF Agar | | 500 g | 610246 # |
| Selective medium for cultivating yeasts and moulds. | | | |
| Mannitol Motility Test Medium | | 500 g | 610235 |
| Medium for differentiation of <i>Enterobacteriaceae</i> . | | 100 g | 620235 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|----------------------|-----------------------------------|-----------------------------|
| Mannitol Salt Agar Selective medium for pathogenic staphylococci isolation. | E.P. | 500 g 100 g 5 kg | 610029 620029 6100295 |
| Maximum Recovery Broth Isotonic diluent for microorganisms optimal recovery. | ISO 6887-1 | 500 g 100 g | 610077 620077 |
| m-CP Agar Base Basal medium for selective isolation of <i>C. perfringens</i> in waters. | 98/83/EC | 500 g 100 g | 610199 620199 |
| m-CP supplement | | 10 vials | 81034 |
| m-CP Supp.A Phenolphthalein diphosphate | | 10 vials | 81070 |
| m-CP Supp.B Ferric chloride | | 10 vials | 81071 |
| m-CP Supp.C Indoxyl B-D-Glucoside | | 10 vials | 81072 |
| m-ENDO Agar LES Medium for coliforms enumeration in water by membrane filtration. | APHA | 500 g 100 g | 611011 621011 |
| m-ENDO Broth Broth for coliforms counting in water by membrane filtration. | APHA | 500 g 100 g | 610220 620220 |
| m-FC Agar Base Selective basal medium for fecal coliforms isolation and enumeration by membrane filtration method. | APHA | 500 g 100 g 5 kg | 611012 621012 6110125 |
| Rosolic acid supplement | | 10 vials | 81029 |
| m-FC Broth Base Selective basal Broth for fecal coliforms isolation and enumeration by membrane filtration method. | APHA | 500 g 100 g | 610162 620162 |
| Rosolic acid supplement | | 10 vials | 81029 |
| Microbial Content Test Agar Base Basal medium for bacterial count determination with inactivation of disinfectants. | | 500 g | 610094 |
| Lecithin supplement | | 4x50 mL | 80007 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Middlebrook 7 H 10 Agar Base Basal medium for mycobacteria cultivation. | | 500 g 100 g | 611022 621022 |
| Middlebrook 7 H 10 supplement (Oleic acid, Glucose, NaCl) | | 4x50 mL | 81035 |
| Glycerol supplement (Glycerol) | | 4x50 mL | 80021 |
| Milk Plate Count Agar Medium for bacterial count in milk and dairy products. | | 500 g 100 g | 610073 620073 |
| Motility Indole Urea Agar Medium for Enterobacteriaceae identification. | | 500 g | 610236 |
| Motility Test Agar Medium for the detection of motility of gram-negative enteric bacilli. | | 500 g 100 g | 610132 620132 |
| MRS-IM + Maltose Medium for counting probiotic bacteria. | | 500 g 100 g | 610067 620067 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| MRS-IM + Glucose Medium for counting probiotic bacteria. | | 500 g 100 g | 610068 620068 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| MR-VP Broth Broth for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests. | ISO 6785 ISO 6579 | 500 g 100 g | 610032 620032 |
| Mueller Hinton Agar II Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ . | CLSI | 500 g 100 g 5 kg | 610627 620627 6106275 |
| Mueller Hinton Broth Broth for susceptibility test by dilution method. | | 500 g 100 g | 610034 620034 |
| Mueller Hinton Broth II Broth for susceptibility test by dilution method, low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ . | CLSI | 500 g 100 g | 610218 620218 |
| Muller Kauffmann Broth Base Basal broth for <i>Salmonella</i> spp. selective enrichment. | ISO 6785 | 500 g 100 g | 610035 620035 |
| Muller Kauffmann supplement (Iodine, Potassium iodide, Brilliant green) | | 2x50 mL Iodine 50 mL B.G. 0.1% | 80047 |
| Muller Kauffmann Tetrathionate Broth Base Basal medium for <i>Salmonella</i> spp. selective enrichment from water, foodstuffs and fecal samples. | ISO 6579 | 500 g 100 g | 610239 620239 |
| Iodine MKTT Solution | | 10 tubes x 10 mL | 80009 |
| Novobiocin MKTT Supplement | | 10 vials | 81073 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|-----------|--|---|
| Nitrate Broth Broth for the identification of aerobic and facultative anaerobic gram-negative microorganisms by means of the nitrate reduction test. | | 500 g | 610322 |
| Nutrient Agar Medium for non fastidious bacteria growth. | ISO 12780 | 500 g 100 g | 610036 620036 |
| Nutrient Broth Broth for non fastidious bacteria growth. | APHA | 500 g 100 g 5 kg | 610037 620037 6100375 |
| Nutrient Broth no.2 Broth for non fastidious bacteria growth. Base Broth for the enrichment of <i>Campylobacter</i> spp. Campylobacter Preston supplement (Polymyxin B, Trimethoprim, Cycloheximide, Rifampicin) Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate) Lysed Horse Blood | ISO 17995 | 500 g 100 g 10 vials 10 vials 100 mL | 610217 620217 81004 81050 83397 |
| O.F. Basal Medium Medium for the detection of oxidative and fermentative carbohydrate degradation, particularly for the differentiation of gram-negative intestinal bacteria. | | 500 g | 610304 |
| O.G.Y.E. Agar Base Basal medium for selective enumeration of yeasts and moulds. O.G.Y.E. supplement (Oxytetracycline) | ISO 7954 | 500 g 100 g 5 kg 10 vials | 610202 620202 6102025 81018 |
| Orange Serum Agar Medium for isolation and count of bacteria and yeasts in citrus fruit and by-products. | APHA | 500 g 100 g 5 kg | 610078 620078 6100785 |
| Orange Serum Broth Broth for cultivation and enumeration of microorganisms associated with spoilage of citrus products. | | 500 g | 610307 |
| Ornithine Decarboxylase Broth Broth for the detection of the production of ornithine decarboxylase by <i>Enterobacteriaceae</i> . | | 500 g | 610305 |
| P.P.L.O. Broth Broth for mycoplasma cultivation. | APHA | 500 g 100 g | 610109 620109 |
| Peptone Water Medium for indole production detection. | ISO 7251 | 500 g 100 g | 610038 620038 |
| Pfizer Selective Enterococcus Agar Medium for selective isolation, cultivation and enumeration of <i>Enterococcus</i> spp. | | 500 g | 610319 |
| Phenol Red Agar Base Base medium used with the addition of carbohydrates for differentiating pure culture of bacteria based on sugar fermentation reactions. | | 500 g | 610308 |
| Phenol Red Broth Base Broth for carbohydrates fermentation studies. | | 500 g 100 g | 610174 620174 |
| Phenylalanine Agar Medium for enterobacteria differentiation. Ferric chloride 10% | | 500 g 100 g 2x25 mL | 610039 620039 80272 |
| Phenylalanine Malonate Broth Broth for enterobacteria differentiation. Ferric chloride 10% | | 500 g 100 g 2x25 mL | 610075 620075 80272 |
| Plate Count Agar Medium for total bacterial count detection in foodstuffs and water. | ISO 4833 | 500 g 100 g 5 kg | 610040 620040 6100405 |
| Potato Dextrose Agar Medium for yeasts and moulds enumeration in food and dairy products. | E.P. | 500 g 100 g 5 kg | 610102 620102 6101025 |
| Potato Dextrose Broth Broth for yeasts and moulds enumeration in food and dairy products. | APHA | 500 g 100 g 5 kg | 610106 620106 6101065 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|----------------------|------------------------|-----------------------------|
| Potato Infusion Agar Medium for <i>Brucella</i> spp. isolation. | | 500 g 100 g | 610011 620011 |
| Proteose Peptone Special peptone obtained by enzymatic hydrolysis of animal tissue. | | 500 g | 612201 |
| Pseudomonas Agar Base Basal medium for selective isolation of <i>Pseudomonas</i> spp. | ISO 12780 | 500 g 100 g | 610071 620071 |
| Glycerol supplement (Glycerol) | | 4x50 mL | 80021 |
| C.F.C. (<i>Pseudomonas</i>) supplement (Cetrimide, Fucidin, Cephalordine) | | 10 vials | 81049 |
| C.N. (<i>Pseudomonas</i>) supplement (Cetrimide, Nalidix acid) | ISO 12780 | 10 vials | 81006 |
| Pseudomonas Agar F Medium for the enhancement of fluoescin production by <i>Pseudomonas</i> spp. | ISO 12780 | 500 g | 610309 |
| Glycerol supplement | | 4x50 mL | 80021 |
| Pseudomonas Agar P Medium for the enhancement of pyocyanin production by <i>Pseudomonas</i> spp. | U.S.P. | 500 g | 610310 |
| Purple Glucose Agar Medium for enterobacteria isolation and differentiation. | ISO 21528-2 | 500 g 100 g | 610194 620194 |
| Purple Lactose Agar Medium for coliforms isolation and differentiation. | | 500 g 100 g | 610044 620044 |
| R2 Agar Medium for heterotrophic microorganisms count in the examination of potable water. | E.P. | 500 g 100 g | 610129 620129 |
| Rappaport Vassiliadis Broth Selective enrichment Broth for <i>Salmonella</i> isolation. | ISO 6785 ISO 6579 | 500 g 100 g | 610175 620175 |
| Reinforced Clostridial Agar Medium for isolation and enumeration of anaerobes, specially <i>Clostridium</i> spp. | ISO 6461-1 | 500 g 100 g | 610096 620096 |
| Rogosa Agar Selective basal medium for lactobacilli isolation and enumeration. | | 500 g 100 g | 610176 620176 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Rogosa Broth Selective basal broth for lactobacilli culture. | | 500 g 100 g | 610177 620177 |
| Tween 80 supplement | | 2x50 mL | 80031 |
| Rose Bengal Agar Base Basal Broth for selective isolation and enumeration of yeasts and moulds. | APHA | 500 g 100 g 5 kg | 610178 620178 6101785 |
| Chloramphenicol supplement | | 10 vials | 81017 |
| Rose Bengal CAF Agar Selective medium for yeasts and moulds isolation and enumeration. | APHA | 500 g 100 g | 610090 620090 |
| Sabouraud Dextrose Agar Medium for yeasts and moulds isolation. | harmonized EP | 500 g 100 g 5 kg | 610103 620103 6101035 |
| Chloramphenicol supplement | | 10 vials | 81017 |
| Gentamicin supplement | | 10 vials | 81033 |
| Sabouraud Dextrose Broth Broth for yeasts, moulds and acidophilic bacteria cultivation. | harmonized EP | 500 g 100 g | 610104 620104 |
| Sabouraud CAF Agar Selective medium for yeasts and moulds isolation. | APHA | 500 g 100 g | 610203 620203 |
| Sabouraud CAF Agar + Actidione Selective medium for dermatophyte isolation. | | 500 g 100 g | 610179 620179 |
| Sabouraud Maltose Agar Acid medium for the isolation of dermatophytes, other fungi and yeasts. | U.S.P. | 500 g 100 g | 610146 620146 |
| Schaedler Agar Base Basal medium for anaerobic bacteria isolation. | | 500 g 100 g | 610043 620043 |
| Sheep Blood Defibrinated | | 50 mL | 83296 |
| Vitamin K 1% supplement | | 5x5 mL | 80053 |
| Schaedler supplement (Kanamycin, Vancomycin) | | 10 vials | 81054 |
| Schaedler Broth Broth for anaerobic bacteria cultivation. | | 500 g 100 g | 610137 620137 |
| Schwarz Differential Medium Medium used in the brewing industry for the differentiation of brewing yeasts from wild yeasts. | | 500 g | 610127 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|--|----------------------------|---------------------------|-----------------------------|
| Selenite Broth Broth for selective enrichment of <i>Salmonella</i> spp. | APHA | 500 g 100 g 5 kg | 610145 620145 6101455 |
| Selenite Cystine Broth Medium for selective enrichment of <i>Salmonella</i> spp. | ISO 6785 | 500 g 100 g | 610150 620150 |
| S.F. Broth Broth medium for fecal streptococci isolation. | AOAC | 500 g 100 g | 610180 620180 |
| Sierra Lipolytic Agar Medium for lipolytic bacteria isolation. | | 500 g 100 g | 611015 621015 |
| SIM Medium Differential medium for indole, motility and H ₂ S tests. | | 500 g 100 g | 610181 620181 |
| Simmons Citrate Agar Differential medium for enterobacteria identification based on the utilization of citrate as the sole source of carbon. | ISO 10273 | 500 g 100 g | 610046 620046 |
| Slanetz-Bartley Agar Base Selective basal medium for fecal streptococci isolation and enumeration. TTC 1% supplement | ISO 7899-2 | 500 g 100 g 5x10 mL | 610134 620134 80300 |
| Slanetz-Bartley Agar + TTC Selective medium for fecal streptococci isolation and enumeration. | ISO 7899-2 | 500 g 100 g 5 kg | 610147 620147 6101475 |
| SPS Agar Selective medium for <i>Clostridium perfringens</i> and sulphite-reducing bacteria isolation and enumeration. | APHA | 500 g 100 g | 610148 620148 |
| S.S. Agar Modified Selective medium for <i>Salmonella</i> and <i>Shigella</i> isolation. | | 500 g 100 g 5 kg | 610042 620042 6100425 |
| Staphylococcus 110 Agar Selective medium for staphylococci isolation. | | 500 g | 611366 |
| Stuart Transport Medium Semisolid medium for transport of clinical specimens and microorganisms. | | 500 g 100 g | 610182 620182 |
| T.B.X. Agar Selective chromogenic medium for <i>E. coli</i> detection in food. | ISO 16649-2 | 500 g 100 g | 610224 620224 |
| T.C.B.S. Agar Selective medium for <i>Vibrio</i> spp. isolation. | ISO 8914 | 500 g 100 g | 611010 621010 |
| Tergitol Agar Base Basal medium for coliforms enumeration and identification. TTC 1% supplement | ISO 9308-1 | 500 g 100 g 5x10 mL | 610184 620184 80300 |
| T.S.I. Agar Differential medium for enterobacteria identification. | U.S.P. | 500 g 100 g | 610055 620055 |
| Tetrathionate Broth Base Basal broth for <i>Salmonella</i> spp. enrichment Iodine solution (Iodine, Potassium iodide) | APHA U.S.P. | 500 g 100 g 5x10 mL | 610183 620183 81009 |
| Thioglycollate Medium Medium for aerobic and anaerobic bacteria for sterility tests. | ISO 7937 E.P. U.S.P. | 500 g 100 g | 610050 620050 |
| Todd Hewitt Broth Broth for haemolytic streptococci culture prior to serological identification. | | 500 g 100 g 5 kg | 610051 620051 6100515 |
| Trichomonas Broth Selective base Broth for <i>Trichomonas</i> spp. isolation. Horse Serum | | 500 g 100 g 100 mL | 610061 620061 83810 |
| Tryptic (CTA) Medium Semisolid medium for motility test and carbohydrates fermentation. | | 500 g 100 g | 610185 620185 |
| Tryptic Soy Agar Medium for the growth of a wide variety of microorganisms. | E.P. | 500 g 100 g | 610052 620052 |
| Tryptic Soy Broth Broth for the growth of a wide variety of microorganisms. | E.P. | 500 g 100 g 5 kg | 610053 620053 6100535 |
| TSYE Agar (Tryptic Soy Yeast Extract Agar) General use medium for bacteria cultivation. | ISO 11290 | 500 g 100 g | 610349 620349 |
| Tryptone Glucose Extract Agar Medium for cultivation and count of microorganisms in food and water. | APHA | 500 g 100 g | 610089 620089 |

Dehydrated Culture Media



| Description | | Packaging | Ref. |
|---|------------------------------------|--------------------------------------|------------------------------------|
| Tryptone Soya Yeast Extract Broth Medium for the confirmation of <i>Listeria monocytogenes</i> . | ISO 11290-1 | 500 g 100 g | 610241 620241 |
| Tryptone Sulfite Neomycin Agar Medium for <i>Clostridium perfringens</i> detection in food. | | 500 g 100 g | 610074 620074 |
| Tryptone Water Liquid medium for <i>Escherichia coli</i> detection in food and water. | ISO 3811 | 500 g 100 g | 610206 620206 |
| Tryptophan Broth Broth of subcultivation for coliform differentiation, and for indole testing in the bacteriological examination of water. | ISO 9308-1 ISO 6579 ISO 6785 | 500 g 100 g | 610197 620197 |
| Tryptose Agar Medium for the growth of a wide variety of microorganisms. | APHA | 500 g 100 g | 610193 620193 |
| Tryptose Broth Broth for cultivating and maintaining of fastidious microorganisms, including <i>Brucella</i> spp. | | 500 g 100 g | 610233 620233 |
| Tryptose Phosphate Broth Broth for the cultivation of a wide variety of fastidious microorganisms. | | 500 g | 610364 # |
| Urea Agar Base Basal medium for enterobacteria urease test. Urea 40% supplement | ISO 6785 ISO 6579 | 500 g 100 g 10x5 mL | 610107 620107 80292 |
| Urea Broth Broth for the detection of microorganisms which metabolize urea. | | 500 g | 610311 |
| Violet Red Bile Agar MUG Selective medium for isolation and counting of coliforms and <i>Escherichia coli</i> . | | 500 g 100 g | 610187 620187 |
| Violet Red Bile Glucose Agar Selective medium for enterobacteria isolation and enumeration. | ISO 21528-2 E.P. | 500 g 100 g | 610059 620059 |
| Violet Red Bile Lactose Agar Selective medium for coliforms isolation and enumeration. | ISO 4832 | 500 g 100 g 5 kg | 610058 620058 6100585 |
| Vogel Johnson Agar Selective basal medium for <i>Staphylococcus aureus</i> isolation. Potassium Tellurite 1% supplement Potassium Tellurite 3.5% supplement | U.S.P. | 500 g 100 g 5x10 mL 5x10 mL | 610186 620186 80022 80291 |
| V.R.B. Agar w Glucose / Lactose Medium recommended for the detection and enumeration of enterobacteria. | E.P. | 500 g | 610336 |
| VRE Agar Base Medium for isolating Vancomycin-resistant enterococci. Meropenem Supplement | | 500 g 10 vials | 610501 81083 |
| W.L. Nutrient Agar Medium for the enumeration and cultivation of yeasts and bacteria in the microbiological control carried out in the brewing and other fermentation industries. | | 500 g 100 g | 610234 620234 |
| Wort Agar Medium for the cultivation, isolation and enumeration or enrichment of fungi, especially of yeasts. | | 500 g | 610323 |
| Wort Broth w/o NaCl Basal Broth for isolation and enumeration of yeasts and moulds. Glycerol supplement (Glycerol) | | 500 g 4x50 mL | 610080 80021 |
| Wurtz Lactose Agar Medium for enterobacteria isolation. | | 500 g 100 g | 611210 621210 |
| XLD Agar Differential and selective medium for pathogenic enterobacteria isolation. | ISO 21567 ISO 6579 | 500 g 100 g 5 kg | 610060 620060 6100605 |
| XLT4 Agar Base Basal medium for selective isolation of <i>Salmonella non typhi</i> and <i>paratyphi</i> . XLT (Tergitol 4) | | 500 g 100 g 2x50 mL | 610092 620092 80010 |
| Yeast Extract Agar Medium for microorganisms enumeration in water. | ISO 6222 | 500 g 100 g | 611016 621016 |
| Yeast Glucose Chloramphenicol Agar Selective medium for yeasts and moulds isolation and enumeration. | ISO 7954 | 500 g 100 g | 610070 620070 |
| Yersinia Selective Agar Base Basal medium for selective isolation of <i>Yersinia enterocolitica</i> . Yersinia supplement (Cefsulodin, Irgasan, Novobiocin) | ISO 10273 ISO 10273 | 500 g 100 g 10 vials | 610111 620111 81039 |

| Ingredients for culture media | | |
|---|------------------------|-----------------------------|
| Description | Packaging | Ref. |
| Acid Hydrolysate of Casein Product obtained by acid hydrolysis of casein. | 500 g 100 g | 610496 620496 |
| Agar Bacteriological Purified Agar for culture media preparation. | 500 g 100 g 5 kg | 611001 621001 6110015 |
| Beef Extract Beef extract obtained by enzymatic hydrolysis of animal proteins. | 500 g 100 g 5 kg | 610497 620497 6104975 |
| Bile Bacteriological Bacteriological bile obtained by bile purification. | 500 g 100 g | 611367 621367 |
| Bile Salt No. 3 Purified extract obtained of bovine bile. | 500 g 5 kg | 611901 6119015 |
| Brain Heart Infusion Infusion obtained by enzymatic hydrolysis of brain and heart. | 500 g 100 g 5 kg | 610495 620495 6104955 |
| Gelatin Bacteriological Purified gelatin for bacteriological use. | 500 g 5 kg | 611002 6110025 |
| Gelatin Pancreatic Peptone Peptone obtained by pancreatic digest of gelatin. | 500 g | 611503 |
| Glucose Glucose for bacteriological use. | 500 g 100 g 5 kg | 611601 621601 6116015 |
| Hemoglobin Autoclavable hemoglobin from beef blood, for preparing microbiological culture media. | 500 g | 611706 |
| Lactose Lactose for bacteriological use. | 500 g 100 g 5 kg | 610498 620498 6104985 |
| Liver Extract Dehydrated extract of bovine liver . | 500 g 5 kg | 612001 6120015 |
| Malt Extract Dehydrated extract obtained from sprouted grain. | 500 g 100 g 5 kg | 611006 621006 6110065 |
| Peptone Bacteriological Peptone obtained by enzymatic hydrolysis of animal tissues. | 500 g 100 g 5 kg | 611701 621701 6117015 |
| Peptone Mycological Mixture of peptones for yeast culture. | 500 g 5 kg | 612101 6121015 |
| Polypeptone Pancreatic digest of casein and peptic digest of animal tissue combined in equal parts. | 500 g | 610492 |
| Proteose Peptone Special peptone obtained by enzymatic hydrolysis of animal tissues. | 500 g 5 kg | 612201 6122015 |
| Skim Milk Powder Pasteurized product resulting from the removal of water from nonfat milk (APHA). | 500 g | 610491 |
| Sodium Chloride Sodium Chloride for bacteriological use. | 500 g 100 g | 611000 621000 |
| Sodium Desoxycholate Sodium desoxycholate for bacteriological use. | 500 g 5 kg | 612401 6124015 |
| Sodium Selenite Sodium selenite for bacteriological use. | 500 g 5 kg | 611003 6110035 |
| Soy Peptone Soy peptone obtained by enzymatic hydrolysis of soy bean meal. | 500 g 5 kg | 612501 6125015 |
| Sucrose Sucrose for bacteriological use. | 500 g 5 kg | 611801 6118015 |
| Tryptone Product obtained by pancreatic hydrolysis of casein. | 500 g 100 g 5 Kg | 611004 621004 6110045 |
| Tryptose Product obtained by enzymatic hydrolysis of casein, yeasts and animal tissues. | 500 g 5 Kg | 611008 6110085 |
| Yeast Extract Yeast extract obtained by autolysis of <i>Saccharomyces cerevisiae</i> . | 500 g 100 g 5 Kg | 611005 621005 6110055 |

Freeze-dried selective and growth supplements



| Description | Packaging | Ref. |
|--|-----------|-------|
| Ampicillin supplement Selective supplement for <i>Aeromonas hydrophila</i> isolation. | 10 vials | 81001 |
| Bacillus cereus supplement (Polymyxin B) Selective supplement for <i>Bacillus cereus</i> isolation (ISO 7932). | 10 vials | 81016 |
| Bordetella supplement (Cephalexin) Selective supplement for <i>Bordetella</i> isolation. | 10 vials | 81013 |
| Brucella supplement (Polymyxin B, Bacitracin, Cycloheximide, Nalidixic acid, Nystatin, Vancomycin) Selective supplement for <i>Brucella</i> spp. isolation. | 10 vials | 81003 |
| Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate) Growth supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81050 |
| Campylobacter Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cephalexin, Vancomycin) Selective supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81051 |
| Campylobacter Butzler supplement (Bacitracin, Cycloheximide, Colistin sulphate, Sodium cephalozin, Novobiocin) Selective supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81015 |
| Campylobacter C.C.D.A. supplement (Cefoperazone, Amphotericin B) Selective supplement for <i>Campylobacter</i> spp. isolation (ISO 10272-1). | 10 vials | 81037 |
| Campylobacter C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Cycloheximide) Selective supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81038 |
| Campylobacter Karmali supplement (Sodium pyruvate, Cefoperazone, Cycloheximide, Vancomycin) Selective supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81036 |
| Campylobacter Preston supplement (polymyxin B, Rifampicin, Cycloheximide, Trimethoprim) Selective supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81004 |
| Campylobacter Skirrow supplement (Polymyxin B, Vancomycin, Trimethoprim) Selective supplement for <i>Campylobacter</i> spp. isolation. | 10 vials | 81055 |
| C.F.C. (Pseudomonas) supplement (Cetramide, Fucidin, Cephalotin) Selective supplement for <i>Pseudomonas</i> isolation. | 10 vials | 81049 |
| Chloramphenicol supplement Selective supplement for yeasts and moulds isolation. | 10 vials | 81017 |
| Clostridium difficile supplement (D-Cycloserine, Cefoxitin) Selective supplement for <i>Clostridium difficile</i> isolation. | 10 vials | 81007 |
| Clostridium perfringens (T.S.C.) supplement (D-Cycloserine) Selective supplement for <i>Clostridium perfringens</i> isolation (ISO 7937). | 10 vials | 81011 |
| C.N. (Pseudomonas) supplement (Cetrimide, Nalidixic acid) Selective supplement for <i>Pseudomonas aeruginosa</i> isolation (ISO 12780). | 10 vials | 81006 |
| C.N.A. (Staf / Strep) supplement (Colistin sulphate, Nalidixic acid) Selective supplement for staphylococci, streptococci, pneumococci isolation. | 10 vials | 81048 |
| Dermatophyte supplement (Chlortetracycline) Selective supplement for dermatophytes fungi isolation. | 10 vials | 81025 |
| Gardnerella vaginalis supplement (Gentamicin, Nalidixic acid, Amphotericin B) Selective supplement for <i>Gardnerella vaginalis</i> isolation. | 10 vials | 81040 |
| Gentamicin supplement Selective supplement for yeasts and moulds isolation. | 10 vials | 81033 |
| Haemophilus supplement (Bacitracin, Vancomycin, Clindamycin) Selective supplement for <i>Haemophilus</i> spp. isolation. | 10 vials | 81014 |
| Kanamycin supplement Selective supplement for group D streptococci isolation (APHA). | 10 vials | 81030 |
| Kanamycin / Polymyxin B supplement Selective supplement for <i>Clostridium perfringens</i> supplement. | 10 vials | 81031 |

Freeze-dried selective and growth supplements



| Description | Packaging | Ref. |
|--|-----------|-------|
| L.C.A.T. supplement (Lincomycin, Colistin sulphate, Amphotericin B, Trimethoprim) Selective supplement for pathogenic neisseriae isolation. | 10 vials | 81012 |
| Legionella growth supplement (L-Cysteine, Ferric pyrophosphate) Growth supplement for <i>Legionella</i> spp. isolation. | 10 vials | 80056 |
| Legionella (B.C.Y.E.) growth supplement (L-Cysteine, Ferric pyrophosphate, ACES, Potassium hydroxide, Bromothymol blue, α -ketoglutarate) Growth supplement for <i>Legionella</i> spp. isolation (ISO 11731-1). | 10 vials | 81056 |
| Legionella (B.M.P.A.) supplement (Anysomycin, Cefamandole, Polymyxin B) Selective supplement for <i>Legionella</i> spp. isolation. | 10 vials | 81002 |
| Legionella (G.V.P.C.) supplement (Cycloheximide, Glycine, Polymyxin B, Vancomycin) Selective supplement for <i>Legionella</i> spp. isolation (ISO 11731-1). | 10 vials | 81008 |
| Legionella (M.W.Y.) supplement (Anysomycin, Glycine, Polymyxin B, Vancomycin, Bromothymol blue, Bromocresol purple) Selective supplement for <i>Legionella</i> spp. isolation. | 10 vials | 81019 |
| Listeria Fraser supplement (Ferric ammonium citrate) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1). | 10 vials | 81028 |
| Listeria Oxford supplement (Cefotetan, Fosfomycin) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1). | 10 vials | 81027 |
| Listeria Oxford WITH CEF/FOS/COL/CYC/ACR supplement (Cefotetan, Fosfomycin, Colistin, Cycloheximide, Acriflavine) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1). | 10 vials | 81629 |
| Listeria Palcam supplement (Polymyxin B, Ceftazidime, Acriflavine HCl) Selective supplement for <i>Listeria monocytogenes</i> isolation (ISO 11290-1). | 10 vials | 81026 |
| Listeria supplement for enrichment (FDA/IDF) Selective supplement for <i>Listeria</i> isolation. | 10 vials | 81045 |
| MUG supplement (Methylumbelliferyl- β -D-glucosonide) Supplement for <i>Escherichia coli</i> identification. | 10 vials | 81020 |
| O.N.P.G. 1.5% supplement (α -nitrophenyl- β -D-galactopyronoside) Supplement for enzyme β -galactosidase determination. | 10 vials | 81032 |
| m-CP supplement Selective supplement for <i>Clostridium perfringens</i> isolation (D.L.vo 2/2/2001 np.31). | 10 vials | 81034 |
| Novobiocin supplement Selective supplement for <i>Salmonella</i> isolation (ISO 6579). | 10 vials | 81021 |
| Rosolic acid supplement Selective supplement for faecal coliforms isolation. | 10 vials | 81029 |
| R.P.F. supplement (Rabbit plasm, Bovine fibrinogen, Tripsin inhibitor, Potassium tellurite) Selective supplement for coagulase positive staphylococci identification (ISO 6888-2). | 8 vials | 81057 |
| Schaedler supplement (Kanamycin, Vancomycin) Selective supplement for anaerobes isolation. | 10 vials | 81054 |
| V.C.A.T. supplement (Vancomycin, Colistin sulphate, Amphotericin B, Trimethoprim) Selective supplement for pathogenic neisseriae isolation. | 10 vials | 81041 |
| V.C.N. supplement (Vancomycin, Colistin sulphate, Nystatin) Selective supplement for pathogenic neisseriae isolation. | 10 vials | 81022 |
| V.C.N.T. supplement (Vancomycin, Colistin sulphate, Nystatin, Trimethoprim) Selective supplement for pathogenic neisseriae isolation. | 10 vials | 81024 |
| VITALEX growth supplement (Glutamine, Adenine, NAD) Growth supplement for fastidious microorganisms isolation. | 10 vials | 81023 |
| Yersinia supplement (Cefsulodin, Irgasan, Novobiocin) Selective supplement for <i>Yersinia</i> spp. isolation (ISO 10273). | 10 vials | 81039 |

Liquid Supplements



| Description | Packaging | Ref. |
|---|-----------------------------------|----------------|
| Egg Yolk emulsion Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) identification (ISO 7932). | 4x50 mL | 80219 |
| Egg Yolk Tellurite emulsion Egg Yolk Tellurite emulsion 20% Supplement for coagulase positive staphylococci isolation (ISO 6888-1). | 4x50 mL 4x50 mL | 80122 80123 |
| Eugon LT 100 Supplement | | |
| Glycerol supplement Supplement for culture media preparation. | 4x50 mL | 80021 |
| Iodine solution Supplement for culture media preparation. | 5x10 mL | 81009 |
| Lecithin supplement Emulsion of lecithin. | 4x50 mL | 80007 |
| Letheen supplement Sterile emulsion of lecithin for Letheen media. | 4x50 mL | 80008 |
| Middlebrook 7 H 10 supplement (Albumina Bovina, Glucosio) Supplement for Middlebrook 7 H 10 medium preparation. | 4x50 mL | 81035 |
| Muller Kauffmann supplement (Iodine, Potassium iodide, Brilliant green) Selective supplement for Muller Kauffmann Broth. | 2x50 mL Iodine 50 mL B.G. 0.1% | 80047 |
| O.A. Listeria supplement Supplement for selective enrichment of <i>Listeria monocytogenes</i> . | (4+4) x 500 mL | 81074 |
| Potassium tellurite 1% supplement Potassium tellurite 3.5% supplement Selective supplement for pathogenic staphylococci isolation. | 5x10 mL 5x10 mL | 80022 80291 |
| Tergitol 0.2% supplement Tergitol 1.5% supplement Supplement for coliforms isolation (ISO 9308-1). | 5x5 mL 4x40 mL | 80035 80042 |
| Triton X 100 supplement Selective supplement for fecal coliforms isolation. | 5x5 mL | 80046 |
| TTC 1% supplement Supplement for bacteria differentiation. | 5x10 mL | 80300 |
| Tween 80 supplement Supplement for culture media preparation. | 2x50 mL | 80031 |
| Urea 40% supplement Supplement for urease activity of bacteria (ISO 6785) (ISO 6579). | 10x5 mL 6 bottles x 100 mL | 80292 80110 |
| Vitamin K 1% supplement Growth supplement for anaerobes isolation. | 5x5 mL | 80053 |
| XLT4 supplement (Tergitol 4) Selective supplement for X.L.T. 4 Agar Base. | 2x50 mL | 80010 |