


Ready culture media in 55 mm contact plates		# Product with minimum order	
			
Description		Packaging	Ref.
Baird Parker Agar + Neutralizing Selective medium for <i>Staphylococcus aureus</i> isolation with inactivation of disinfectants.		20 plates	15331
Cetrimide Agar Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P.	20 plates	15332
Legionella BCYE Agar Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates	15334
Legionella GVPC Agar Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates	15376
MacConkey Agar Selective medium for gram-negatives isolation.	E.P.	20 plates	15329
Mannitol Salt Agar Selective medium for staphylococci isolation.	E.P.	20 plates	15328
m-Faecal Coliform Agar Selective medium for fecal coliforms isolation and enumeration.		20 plates	15368
Plate Count Agar Medium for surfaces and air total bacterial count.	ISO 4833	20 plates	15325
Plate Count Agar + Neutralizing Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15336
Plate Count Agar + Neutralizing (Irradiated) Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15336S
Plate Count Agar + TTC + Neutralizing Medium for surfaces total bacterial count with inactivation of disinfectants.	ISO 4833	20 plates	15360
Rose Bengal Agar + CAF Selective medium for yeasts and moulds isolation and enumeration.	APHA	20 plates	15374
R2 Agar Medium for heterotrophic microorganisms count in drinking water.	E.P.	20 plates	15354 #
Sabouraud Dextrose Agar Medium for yeasts and moulds isolation.	E.P.	20 plates	15327
Sabouraud Dextrose Agar + Lactamator 500 IU + Neutralizing (Irradiated) Medium for yeasts and moulds isolation with inactivation of β -lactam antibiotics and disinfectants.		20 plates	15345S
Sabouraud Dextrose Agar + 0.1% Penase + Neutralizing (Irradiated) Medium for yeasts and moulds isolation with inactivation of disinfectants and penicillins.		20 plates	15333S
Sabouraud Agar + Neutralizing (Irradiated) Medium for yeasts and moulds isolation with inactivation of disinfectants.		20 plates	15323S
Sabouraud CAF Agar (Irradiated) Selective medium for yeasts and moulds isolation.		20 plates	15380S
Sabouraud CAF Agar + Neutralizing Selective medium for yeasts and moulds isolation with inactivation of disinfectants.		20 plates	15365
Slanetz-Bartley Agar + Neutralizing Selective medium for fecal streptococci enumeration and isolation with inactivation of disinfectants.		20 plates	15362
Tryptic Soy Agar (Irradiated) Medium for surfaces and air total bacterial count.	E.P.	20 plates	15340S
Tryptic Soy Agar + Neutralizing (Irradiated) Medium for surfaces and air total bacterial count with inactivation of disinfectants.	E.P.	20 plates	15339S
Tryptic Soy Agar + 0.1% Penase + Neutralizing Medium for surfaces and air total bacterial count with inactivation of disinfectants and penicillins.		20 plates	15330 #
Tryptic Soy Agar + 0.1% Penase + Neutralizing (Irradiated) Medium for surfaces and air total bacterial count with inactivation of disinfectants and penicillins.		20 plates	15330S #

Ready culture media in 55 mm contact plates




Product with minimum order



Description		Packaging	Ref.
Tryptic Soy Agar + Penase + Cephalosporinase + Neutralizing Medium for microbial detection with inactivation of β -lactam antibiotics and disinfectants.		20 plates	15343 #
Tryptic Soy Agar + Lactamator 500 UI + Neutralizing (Irradiated) Irradiated medium for non fastidious bacteria growth with inactivation of β -lactam antibiotics and disinfectants.		20 plates	15341S #
Violet Red Bile Glucose Agar Selective medium for enterobacteria isolation and enumeration.	ISO 21528-2 E.P.	20 plates	15375
			
Violet Red Bile Lactose Agar Selective medium for coliforms isolation and enumeration.	ISO 4832	20 plates	15326
Violet Red Bile Glucose Agar + Neutralizing Selective medium for <i>Enterobacteriaceae</i> isolation and enumeration with inactivation of disinfectants.	ISO 21528-2	20 plates	15382
Violet Red Bile Lactose Agar + Neutralizing Selective medium for coliforms isolation and enumeration with inactivation of disinfectants.	ISO 4832	20 plates	15361

Ready culture media in 60 mm petri dishes




Product with minimum order



Description	Packaging	Ref.
MEMBRANE DISC FILTERS		
Mixed cellulose ester membrane for the isolation and enumeration of bacteria by Membrane Filter Technique.		
47 mm - 0.45 µm - white	100 filters	97000
47 mm - 0.45 µm - black	100 filters	97013
47 mm - 0.22 µm - white	100 filters	97014
Aeromonas Agar Selective medium for <i>Aeromonas</i> spp. isolation.	20 plates	163622 #
Baird Parker Agar Selective medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-1 20 plates	163512
Bile Aesculin Azide Agar Selective medium for group D streptococci isolation.	ISO 7899-2 20 plates	163572
Iron Sulfite Agar Medium for thermophilic anaerobes determination.	20 plates	163372 #
Legionella Agar (GVPC) Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 20 plates	163392
Legionella MWY Agar Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731 20 plates	163382 #
MacConkey Agar Selective medium for enterobacteria isolation.	E.P. 20 plates	163542
m-CP Agar Selective medium for <i>Clostridium perfringens</i> isolation from water.	98/83/EC 20 plates	163612
m-ENDO Agar LES Medium for coliforms determination in water.	APHA 20 plates	163432
m-Faecal Coliform Agar Selective medium for fecal coliforms isolation and enumeration.	APHA 20 plates	163442
M-Green Yeast & Mould Agar Selective medium for detection and count of yeasts and moulds in beverages.	20 plates	163642 #
M-Green Yeast & Mould Agar + CAF Selective medium for detection and count of yeasts and moulds in beverages.	20 plates	163812 #
M-Green Yeast & Mould Agar pH modified Selective medium for detection and count of yeasts and moulds in beverages.	20 plates	163842 #
Mycosel Agar Selective medium for pathogenic fungi isolation.	20 plates	163412 #
Orange Serum Agar Medium for the isolation and enumeration of microorganisms associated with spoilage of citrus fruits and derivatives.	20 plates	163732 #
Plate Count Agar Medium for bacterial count in water and foodstuffs determination.	ISO 4833 20 plates	163452
Cetrimide Agar Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P. 20 plates	163472
Pseudomonas CN Agar Selective medium for <i>Pseudomonas</i> spp. isolation.	ISO 12780 20 plates	163592
Pseudomonas Isolation Agar Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	20 plates	163502
R2 Agar Medium for heterotrophic microorganisms count in drinking water.	E.P. 20 plates	163672
Sabouraud Dextrose Agar Medium for yeasts and moulds isolation.	E.P. 20 plates	163402
Slanetz-Bartley Agar (m-Enterococcus A.) Selective medium for fecal streptococci enumeration and isolation.	ISO 7899-2 20 plates	163462
SPS Agar Medium for <i>C. perfringens</i> and sulfite reducing bacteria isolation and count.	APHA 20 plates	163522
Streptococcal KF+TTC Agar Selective medium for fecal streptococci isolation and enumeration.	APHA 20 plates	163482

Ready culture media in 60 mm petri dishes

Product with minimum order




Description		Packaging	Ref.
TBX Agar Selective chromogenic medium for detecting and enumerating <i>E. coli</i> in food.	ISO 16649	20 plates	163652
Tergitol Agar Selective medium for coliforms enumeration and identification.	ISO 9308-1	20 plates	163562
Tergitol + TTC Agar Selective medium for coliforms enumeration and identification.	ISO 9308-1	20 plates	163492
Tryptone Glucose Extract Agar + TTC Medium for cultivating and enumerating microorganisms in water and dairy products.		20 plates	163742 #
Yeast Extract Agar Medium for microorganisms enumeration in water.	ISO 6222	20 plates	163582 #

Ready BAGS

Ready to use culture media in 3 L or 5 L bags.












Description		Packaging	Ref.
Listeria U.V.M. Broth Bag		3 x 3 L 3 x 5 L	499010 499015
Listeria Demi Fraser Broth Bag		3 x 3 L 3 x 5 L	499020 499025
Buffered Peptone Water Bag		3 x 3 L 3 x 5 L	499030 499035
Maximum Recovery Diluent Bag		3 x 3 L 3 x 5 L	499040 499045
Tryptic Soy Broth Bag		3 x 3 L	499060
Ready Bag Holder		1 unit	96885
DoseMatic		1 unit	








Chromogenic culture media

Product with minimum order



Description	Packaging	Ref.
<p>Chromatic™ Candida Chromogenic selective medium for isolation and differentiation of <i>C. albicans</i>, <i>C. tropicalis</i>, <i>C. krusei</i>.</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm	11612 481110 610613 620613 163692 #
<p>Chromatic™ Coliform Agar ISO Chromogenic selective medium for <i>E. coli</i> and coliforms enumeration, especially suitable for waters with low bacterial count, according to ISO 9308-1:2014.</p>	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm 20 plates 55 mm	11630 481190 610630 620630 163852 15346 #
<p>Chromatic™ Coli/Coliform Chromogenic selective medium for <i>E. coli</i> and coliforms isolation and count in foods and water.</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm 20 plates 55 mm	11613 481120 610610 620610 163702 # 15344 #
<p>Chromatic™ Salmonella Chromogenic selective medium for <i>Salmonella</i> spp. isolation and identification (including <i>S. typhi</i>).</p> <p>Tween 20 Supplement</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 20 plates 60 mm 2 x 50 mL	11614 481140 610611 620611 163662 80032
<p>Chromatic™ Detection Chromogenic medium for urinary bacterial count and identification.</p> 	20 plates 6 bottles x 100 mL 500 g 100 g 5 kg	11611 481130 610612 620612 6106125

Chromogenic culture media		# Product with minimum order	
Description	Packaging	Ref.	
Chromatic™ Strepto B Selective chromogenic medium for detecting Group B Streptococci (<i>Streptococcus agalactiae</i>)	20 plates 6 bottles x 100 mL 500 g 100 g	11617 481180 610617 620617	
			
Chromatic™ Staph aureus Selective chromogenic medium for <i>Staphylococcus aureus</i> isolation.	20 plates 6 bottles x 100 mL 500 g 100 g	11616 481160 610616 620616	
Chromatic™ Staph aureus supplement	10 vials	81085	
			
Chromatic™ MRSA Chromogenic medium for methicillin-resistant <i>Staphylococcus aureus</i> .	20 plates 500 g 100 g	10599 610615 620615	
Chromatic™ MRSA supplement	10 vials	81078	
			
Chromatic™ Staph.aureus/MRSA Chromogenic media on double plate for detecting methicillin-resistant <i>Staphylococcus aureus</i> .	20 plates	18007 #	
			
Chromatic™ CRE Chromogenic medium for the detection of carbapenem-resistant Enterobacteriaceae directly from clinical specimens.	20 plates 500 g 100 g	11619 611619 621619	
Chromatic™ CRE supplement	10 vials	81088	
			

Chromogenic culture media		# Product with minimum order
Description	Packaging	Ref.
Chromatic™ OXA-48 Chromogenic medium for the screening of OXA-48 carbapenemase producing Enterobacteriaceae.	20 plates	11631
Chromatic™ ESBL Chromatic™ ESBL+AmpC Chromogenic medium for the detection of Extended Spectrum Beta-Lactamase producing bacteria.	20 plates 20 plates 500 g 100 g	11622 11629 610629 620629
Chromatic™ ESBL supplement Chromatic™ ESBL+AmpC supplement	10 vials 10 vials	81089 81090
		
Chromatic™ VRE Chromogenic medium for screening vancomycin-resistant enterococci.	20 plates	11621
		
Chromatic™ Bacillus cereus Chromogenic medium for the isolation and differentiation of <i>Bacillus cereus</i> from food samples.	20 plates	11628
		
O.A. Listeria Agar Selective chromogenic medium for <i>Listeria monocytogenes</i> isolation and differentiation (ISO 11290).	20 plates 500 g 100 g	10620 610601 620601
O.A. Listeria supplement	(4+4) x 500 mL	81074
		
Chromatic™ E.coli O157 Selective chromogenic medium for detecting <i>E. coli</i> O157.	20 plates 500 g 100 g	11610 610614 620614
		
Chromatic™ EC X-Gluc Agar Chromogenic medium for the detection of <i>E. coli</i> in water and foodstuffs.	20 plates 60 mm	163722 #

Chromogenic culture media







Product with minimum order





Description	Packaging	Ref.
<p>Chromatic™ MH Chromogenic Mueller Hinton for presumptive identification and susceptibility testing of bacteria from clinical specimens.</p>	20 plates 10 plates 140 mm 500 g 100 g	11618 10246 611618 621618
		
<p>TBX Agar Selective chromogenic medium for detecting and enumerating <i>E. coli</i> in food according to ISO 16649.</p>	20 plates 500 g 100 g 6 bottles x 100 mL	10522 610224 620224 481170
		






Ready culture media in petri dishes, tubes, bottles

Product with minimum order




Description		Packaging	Ref.
A1 Medium Liquid selective medium for fecal coliforms detection in water and food.	APHA	20 tubes	24113
Acetamide Broth Liquid medium for confirming <i>Pseudomonas aeruginosa</i> .	ISO 16266 ISO 12780	20 tubes x 5 mL	24154
Aeromonas Agar Selective medium for <i>Aeromonas</i> spp. isolation.		20 plates	10406 #
Alkaline Peptone Water Liquid enrichment medium for <i>Vibrio</i> spp. isolation.	APHA	20 tubes 6 bottles x 100 mL	24100 # 401990
Azide Agar (Sheep blood 5%) Selective medium for streptococci isolation.		20 plates 100 plates	11041 11041*
Azide Dextrose Broth Liquid selective medium for fecal streptococci detection in water and food.	APHA	10 tubes 100 tubes	20114 26114 #
Azide Dextrose Broth (double concentration) Liquid selective medium for fecal streptococci detection in water and food.	APHA	10 tubes 100 tubes	21114 26414 #
Azide Blood Agar Base Base selective medium for streptococci isolation.		6 bottles x 100 mL 6 bottles x 200 mL	402170 412150
Bacillus Cereus Agar (MOSSEL, MYP) Selective medium for <i>Bacillus cereus</i> isolation and enumeration.	ISO 7932	20 plates	10027
Bacillus Cereus Agar (PEMBA) Selective medium for <i>Bacillus cereus</i> isolation and enumeration.	ISO 21871	20 plates	10007
Baird Parker Agar (Egg yolk tellurite) Selective medium for <i>Staphylococcus aureus</i> isolation in food.	ISO 6888-1	20 plates 100 plates	10020 10020*
Baird Parker Agar + RPF Selective medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-2	20 plates 6 bottles x 90 mL	10521 420010
Biggy (Nickerson) Agar Selective medium for <i>Candida</i> spp. isolation and presumptive identification.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	10021 10021* 30091 442350
Bile Aesculin Agar Selective medium for group D streptococci isolation.		20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 500 mL	10057 10057* 33085 442320 470140
Bile Aesculin Azide Agar w/ Vancomycin Selective medium for isolating vancomycin-resistant enterococci.		20 plates	10411
Bile Aesculin Broth Selective medium for group D streptococci isolation.	ISO 7899-2	20 tubes	24120
Bismuth Sulfite Agar Selective medium for <i>Salmonella</i> spp. isolation.	U.S.P.	20 plates 100 plates	10047 # 10047* #
Blood Agar Base (Sheep blood 7%) Medium for fastidious microorganisms isolation and for haemolysis test.	ISO 10560	20 plates	10142
Blood Agar Base Basal medium for fastidious microorganisms isolation. Sheep Blood Defibrinated		6 bottles x 100 mL 6 bottles x 500 mL 1 bottle x 50 mL	402140 470130 # 83296
Bolton Broth Medium for the enrichment of <i>Campylobacter</i> spp. in foods and animal feeding stuff.	ISO 10272-1	6 bottles x 500 mL 6 bottles x 1000 mL	470340 # 400260 #
Brain Heart Infusion Agar Medium for cultivation of fastidious aerobic and anaerobic bacteria.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	10060 10060* 30084 402380 #
Brain Heart Infusion Broth Broth for cultivation of fastidious aerobic and anaerobic bacteria.		20 tubes 6 bottles x 200 mL	24104 412010 #
Brilliant Green Agar Selective medium for <i>Salmonella</i> spp. isolation other than <i>S. typhi</i> .		20 plates 100 plates 6 bottles x 100 mL	10022 10022* 402330
Brilliant Green Bile Broth 2% Selective medium for coliforms detection and confirmation.	ISO 4831 ISO 4832	10 tubes	20102
Brucella Blood Agar w Hemin and Vitamin K1 Selective medium for <i>Brucella</i> spp. isolation.		20 plates	10245
Brucella Broth Medium for cultivating <i>Brucella</i> spp.		20 tubes	24418

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order		
Description		Packaging	Ref.	
     	Buffered Peptone Water Medium for <i>Salmonella</i> pre-enrichment in food.	ISO 6579 ISO 6785	20 tubes 10 mL 20 tubes 9 mL 100 tubes 9 mL 6 bottles 90 mL 6 bottles 100 mL 25 bottles 90 mL 6 bottles 200 mL 6 bottles 225 mL 25 bottles 225 mL	24099 24199 # 26199 # 414030 400040 # 454030 # 412090 414020 451402
	Buffered Peptone Water (Double Concentration) Medium for <i>Salmonella</i> pre-enrichment in food.		20 tubes	24463 #
	Buffered Peptone Solution Solution for samples dilution.	E.P. ISO 21149	6 bottles x 100 mL	402410
	Burkholderia cepacia Selective Agar (BCSA) Selective medium for the isolation of <i>Burkholderia cepacia</i> from clinical and non-clinical specimens.		20 plates	11506 #
	Campylobacter Agar (Sheep blood 5%) Selective medium for <i>Campylobacter</i> spp. isolation.		20 plates 100 plates	10050 10050*
	Campylobacter Agar Base Selective basal medium for <i>Campylobacter</i> spp. isolation. Sheep Blood Defibrinated		6 bottles x 200 mL 1 bottle x 50 mL	413030 # 83296
	Campylobacter Broth Selective medium for <i>Campylobacter</i> spp. enrichment.		20 tubes	24204
	Campylobacter Karmali Agar Selective medium for <i>Campylobacter</i> spp. isolation from clinical samples.		20 plates	10145
	Campylobacter Preston Agar Selective medium for <i>Campylobacter</i> spp. detection from clinical specimens.		20 plates	10146 #
	Casitone Agar Medium for fastidious microorganisms growth.		20 plates	10079
Cetrimide Agar Selective medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10033 10033* 402270 412270	
Chocolate Agar Medium for fastidious microorganisms isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 500 mL	10023 10023* 442220 470120 #	
Chocolate Bacitracin Agar Selective medium for <i>Haemophilus</i> spp. isolation.		20 plates 100 plates	11023 11023*	
Christensen Urea Agar Medium for enterobacteria urease test.	ISO 6785 ISO 6579	10 tubes 5 bottles x 200 mL 20 plates	30081 412100 10064 #	
Cled Agar Medium for total bacterial count in urine.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10026 10026* 402180 412180 470110	
Cled Andrade Agar Medium for total bacterial count of urine. Sheep Blood Defibrinated		20 plates 100 plates 1 bottle x 50 mL	10004 10004* 83296	
Clostridium Agar (Sheep Blood 5%) Selective medium for <i>Clostridium difficile</i> isolation.		20 plates	11060 #	
Columbia Agar Base Basal medium for fastidious microorganisms isolation. Sheep Blood Defibrinated		6 bottles x 200 mL 6 bottles x 500 mL 1 bottle x 50 mL	452210 470100 # 83296	
Columbia Agar (Horse blood 5%) Medium for streptococci, staphylococci and pneumococci isolation.		20 plates 100 plates	10025 10025*	
Columbia Agar (Sheep blood 5%) Medium for fastidious microorganisms isolation.		20 plates 100 plates	11025 11025*	
Columbia Agar (Sheep blood 5%) + Vancomycin Medium for identification and differentiation of heteroresistant vancomycin-intermediate <i>S.aureus</i> (h-VISA) and vancomycin-intermediate <i>S.aureus</i> (VISA) from vancomycin-susceptible <i>S.aureus</i> (VSSA)		20 plates	11517 #	






Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
Columbia C.N.A. Agar (Sheep blood 5%) Medium for streptococci, staphylococci and pneumococci isolation.		20 plates 100 plates	11024 11024*
Columbia C.N.A. Agar Base Selective basal medium for streptococci, staphylococci and pneumococci isolation. Sheep Blood Defibrinated		6 bottles x 100 mL 6 bottles x 200 mL	402210 412210
Columbia C.N.A. MOD. Agar (Sheep blood 5%) Selective medium for streptococci isolation.		20 plates 100 plates	11124 11124*
Copro KIT 1 (Selenite Broth) Enrichment medium for <i>Salmonella</i> spp. isolation in feces.		10 test	85501 #
Copro KIT 2 (Salmonella Differential Broth) Selective medium for <i>Salmonella</i> spp. screening and isolation in feces.		10 test	85502 #
Corn Meal Agar Medium for cultivating yeasts.		20 plates	11507 #
Crystal Violet Agar (Sheep blood 5%) Selective medium for streptococci isolation.		20 plates 100 plates	10042 # 10042 #*
Czapek Dox Agar Selective medium for saprophytic fungi cultivation .		20 plates	10017 #
Demi Fraser Broth Medium for <i>Listeria</i> spp. enrichment.	ISO 11290-1	6 bottles x 225 mL 25 bottles x 225 mL 6 bottles x 90 mL 25 bottles x 90 mL	414000 451400 424010 # 452401 #
Dermatophyte (D.T.M.) Agar Selective medium for dermatophyte fungi isolation.		20 plates 100 plates 10 tubes 6 bottles x 100 mL	11052 11052* 33086 # 402200
Desoxycholate Agar Selective medium for enterobacteria isolation.	APHA	20 plates 6 bottles x 100 mL 6 bottles x 500 mL	11027 402340 470030 #
Dichloran Rose Bengal CAF Agar Selective medium for detecting yeasts and moulds in foods.	ISO 21527	20 plates 100 plates 6 bottles x 200 mL	10097 10097* 412410 #
E.C. Broth Selective Broth for fecal coliforms detection and for <i>E. coli</i> confirmation.	ISO 7251	10 tubes	20122
E.E. Broth Broth for enterobacteria selective enrichment (harmonized European Pharmacopoeia).		20 tubes 6 bottles x 100 mL	24096 # 402480
EMB Levine Agar Selective medium for gram-negative enteric bacteria isolation.	USP	20 plates 100 plates 6 bottles x 100 mL	10048 10048* 402350
Endo Agar Medium for coliforms detection, enumeration and confirmation test.	APHA	6 bottles x 100 mL	403010
Enterobacter (Cronobacter) sakazakii Isolation Agar Selective medium for <i>Cronobacter sakazakii</i> isolation.	ISO 22964	20 plates	11623 #
Enterococcus Agar (Bile Aesculin Azide Agar) Selective medium for group D streptococci isolation.		20 plates 100 plates	11057 11057*
Enterococcus Agar + Vancomycin Selective medium for detecting and counting vancomycin-resistant enterococci.		20 plates	11501
Enterococcus Screen Agar 4 sectors Four media in one plate for detecting high level Vancomycin and Aminoglycoside resistant enterococci.		20 plates	14101 #
Eugon LT 100 Agar Medium for detection and enumeration of mesophilic bacteria in cosmetic products.	ISO 21149	20 plates	10133 #
Eugon LT 100 Broth Broth for detecting and enumerating aerobic bacteria in cosmetic products.		20 tubes x 10 mL 20 tubes x 9 mL 100 tubes x 9 mL 6 bottles x 45 mL 6 bottles x 90/125 mL 6 bottles x 90/200 mL	24094 240949 260949 402400 403400 413400
Gardnerella Agar (Sheep blood 5%) Selective medium for <i>Gardnerella vaginalis</i> isolation.		20 plates 100 plates	11054 11054*

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
GBS Agar (Granada) Medium for the isolation and identification of <i>Streptococcus agalatae</i> (Group B Streptococci).		20 plates	10421 #
Glucose Broth Broth for bacteria growth.		10 tubes	20105
G.N. Hajna Broth Broth for gram-negatives enrichment.		20 tubes	24119
Haemophilus Test Agar Medium for <i>Haemophilus</i> spp. sensitivity testing.		20 plates	10080
Haemophilus Test Broth Broth for <i>Haemophilus</i> spp. sensitivity testing.		20 tubes	24091 #
Helicobacter pylori GESA medium Transport medium of gastric biopsies for the isolation and identification of <i>Helicobacter pylori</i> .		20 tubes x 1 mL	27001
Helicobacter pylori Test Selective Broth for <i>Helicobacter pylori</i> isolation in bioptical samples.		20 test	20090
Helicobacter pylori Agar Selective medium for <i>Helicobacter pylori</i> isolation.		20 plates	10082
Helicobacter pylori Egg Yolk Emulsion Agar Medium for the cultivation of <i>Helicobacter pylori</i> .		20 plates	10605 #
Hektoen Enteric Agar Selective medium for pathogenic enterobacteria isolation.	ISO 21567	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10043 10043* 402230 412230
Herellea Agar Selective medium for gram negative bacteria isolation.		20 plates 100 plates	11143 11143*
Isosensitest Agar Medium for susceptibility test.		20 plates 100 plates	10028 10028*
IUTM Medium Medium for mycobacteria detection and sensitivity test.		10 tubes	33118
Kligler Iron Agar Differential medium for enterobacteria identification.	ISO 10273	10 tubes	30087
Lactose Broth Broth for coliforms detection.	ISO 9308-2	10 tubes 6 bottles x 100 mL	20106 402090
Lactose Broth (double concentration) Broth for coliforms detection.	ISO 9308-2	10 tubes	21106
Lauryl Sulfate Tryptose Broth (LST) Selective medium for the detection of coliform bacteria in water and food.	APHA	10 tubes x 10 mL 100 tubes x 10 mL	21453 # 26453 #
Lauryl Sulfate Tryptose Broth (LST) double concentration Selective medium for the detection of coliform bacteria in water and food.	APHA	10 tubes x 10 mL 100 tubes x 10 mL	21454 # 26454 #
Lauryl Sulfate Tryptose Broth Modified (mLST) Selective medium for the enrichment of <i>Cronobacter sakazakii</i> .	ISO 22964	20 tubes x 10 mL	24452
Lauryl Sulfate Tryptose Broth (LST) with MUG Selective medium for the fluorogenic detection of <i>E. coli</i> in water and food.		10 tubes x 3 mL 100 tubes x 3 mL 20 tubes x 9 mL 100 tubes x 9 mL	21455 # 26455 # 24457 # 26457 #
L.B. Medium Medium for recombinant <i>Escherichia coli</i> cultivation.		6 bottles x 200 mL	412390
Legionella BCYE Agar Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates 100 plates	10051 10051*
Legionella BCYE Agar w/o cysteine Non-selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates	10412
Legionella BCYE Agar w/ Vancomycin + Colistin Selective medium for <i>Legionella</i> spp. isolation.		20 plates #	10424
Legionella BMPA Agar Selective medium for <i>Legionella</i> spp. isolation.		20 plates	10134
Legionella GVPC Agar Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731-1	20 plates	10128
Legionella MWY Agar Selective medium for <i>Legionella</i> spp. isolation.	ISO 11731	20 plates	10127

Ready culture media in petri dishes, tubes, bottles # Product with minimum order







Description		Packaging	Ref.
Letheen Broth Broth for the determination of the phenol coefficient of quaternary ammonium compounds.	AOAC	20 tubes	24170
Listeria Aesculin Agar Selective medium for <i>Listeria</i> spp. isolation.	ISO 11290-1	20 plates	11230
Listeria Fraser Broth Broth for <i>Listeria</i> spp. enrichment.	ISO 11290-1	20 tubes 100 tubes 10 tubes x 9 mL 6 bottles x 225 mL	24131 26131 20131/9 413980
Listeria Palcam Agar Selective medium for <i>Listeria</i> spp. isolation.	ISO 11290-1	20 plates	10041
Listeria Selective Broth Enrichment broth for <i>Listeria</i> spp. isolation.		6 bottles x 200 mL	412070
Listeria UVM 1 Broth Enrichment broth for <i>Listeria</i> spp. isolation.	USDA-FSIS	6 bottles x 225 mL	461030 #
Listeria UVM 2 Broth Enrichment broth for <i>Listeria</i> spp. isolation.	USDA-FSIS	6 bottles x 225 mL	461020
Liver Broth Liquid medium for cultivating a wide variety of fastidious organisms, from clinical and non-clinical specimens.		20 tubes	20070 #
Loeffler Medium Medium for <i>Corynebacterium diphtheriae</i> cultivation.		10 tubes	30116
Lowenstein Jensen Medium Medium for mycobacteria isolation.		10 tubes	30118
Lowenstein Jensen Medium W/O Glycerol Medium for mycobacteria isolation.		10 tubes	30119
Lysine Decarboxylase Broth Medium for lysine decarboxylation test.	APHA	10 tubes	24139 #
Lysine Iron Agar Differential medium for enterobacteria identification.		10 tubes 6 bottles x 200 mL	30098 412040 #
M17 Agar Medium for lactic streptococci enumeration.		6 bottles x 100 mL	402110 #
MRS Agar Medium for lactobacilli isolation.	ISO 15214	6 bottles x 100 mL	402120
MSRV Agar (Modified Semisolid Rappaport Vassiliadis) Selective medium for <i>Salmonella</i> spp. isolation.		20 plates 100 plates 6 bottles x 200 mL 6 bottles x 500 mL	10049 10049* 412310 # 470380 #
MacConkey Agar Selective medium for Gram-negative bacteria isolation.	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10029 10029* 402240 412240 470090
MacConkey Broth Selective Broth for coliforms isolation.		10 tubes 6 bottles x 100 mL	20126 402490
MacConkey MUG Agar Selective medium for <i>Escherichia coli</i> isolation.	E.P.	20 plates	10129 #
MacConkey Sorbitol Agar Selective medium for <i>Escherichia coli</i> O157 isolation.		20 plates 6 bottles x 100 mL	10005 402450 #
Malonate Broth Broth for enterobacteria differentiation.		20 tubes	24137 #
Malt Agar Medium for yeasts and moulds isolation.		20 plates	10418 #
Malt Extract Agar Medium for yeasts and moulds isolation.		6 bottles x 100 mL	402470
Mannitol Salt Agar Selective medium for pathogenic staphylococci isolation (harmonized European Pharmacopoeia).	E.P.	20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10030 10030* 402290 412290 470080
Marine Salt Agar Medium for cultivating heterotrophic marine bacteria.		20 plates	10426 #







Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
Marine Salt Cycloheximide Agar Medium for cultivating heterotrophic marine bacteria with inhibition of bacterivores.		20 plates	10427 #
Maximum Recovery Broth Isotonic diluent for microorganisms optimal recovery.		ISO 6887-1 6 bottles x 200 mL	412400
m-Endo Agar LES Medium for coliforms isolation and enumeration in water by membrane filtration.		APHA 20 plates 100 plates	11053 11053*
m-Faecal Coliform Agar Selective medium for fecal coliforms isolation and enumeration in water by membrane filtration.		APHA 20 plates 100 plates 6 bottles x 100 mL	11210 11210* 403020
Middlebrook 7 H 10 Agar Medium for mycobacteria culture.		10 tubes	30368 #
Middlebrook 7H11 Agar Medium for antimicrobial susceptibility testing of mycobacteria.		20 plates	10416 #
Milk Agar Medium for microorganisms enumeration in milk.		6 bottles x 150 mL	401950
Milk Plate Count Agar Medium for the isolation and enumeration of microorganisms in milk and dairy products.		20 plates 100 plates 6 bottles x 500 mL	10433 # 10433* # 463120 #
Mossel and Martin w/ Mannitol Medium for detecting oxidation and fermentation reactions.		20 tubes	24413
Motility Test Medium Medium for bacterial motility determination.		20 tubes	24342
MR-VP Medium Medium for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests.		ISO 6785 ISO 6579 20 tubes	24149
mTSB with Novobiocin Medium for the selective enrichment of enterohemorrhagic <i>E. coli</i> in food.		ISO 16654 6 bottles x 225 mL	432090 #
Mueller Hinton Agar II Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ .		CLSI 20 plates 100 plates 10 plates 140 mm 5 plates 120x120 mm 10 tubes 10 tubes x 22 mL 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10031 10031* 10231 # 12031 # 30090 # 34075 # 402250 412250 470070
Mueller Hinton Agar II + 2% NaCl Medium for antimicrobial susceptibility testing of staphylococci with Oxacillin.		CLSI 20 plates	11206 #
Mueller Hinton Broth II Broth for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ .		CLSI 20 tubes 6 bottles x 100 mL	24107 402020
Mueller Hinton Agar II (Sheep blood 5%) Medium for susceptibility testing to antibiotics of fastidious microorganisms.		CLSI 20 plates 100 plates 10 plates 140 mm	10131 10131* 11231
Mueller Hinton II Fastidious Agar (Horse blood 5% + 20 mg/L β-NAD) Medium for antimicrobial susceptibility testing of <i>Streptococcus</i> spp., <i>Haemophilus</i> spp., and some other fastidious organisms.		EUCAST 20 plates 10 plates 140 mm	10132 11132 #
Mueller Hinton Agar II + Cloxacillin Medium for the screening of ESBL producing Enterobacteriaceae.		20 plates	11518 #
Muller Kauffmann Broth Broth for <i>Salmonella</i> spp. selective enrichment.		20 tubes 6 bottles x 100 mL	24108 402030
Muller Kauffmann Tetrathionate Novobiocin Broth (MKTTn) Selective enrichment broth for the isolation of <i>Salmonella</i> spp. from food samples.		ISO 6579 6 bottles x 100 mL 20 tubes x 10 mL 100 tubes x 10 mL	403110 20072 26072 #
Mycoplasma Agar Selective medium for isolating urogenital mycoplasma.		20 plates	11205
Mycoplasma Transport Broth Liquid medium for transporting and storing clinical specimen for mycoplasma and other pathogenic microorganisms detection.		20 vials	20158
Mycosel Agar Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11070 11070*
Mycosel Broth Selective Broth for pathogenic fungi isolation.		20 tubes	24070

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
Nutrient Agar Medium for microorganism growth and enumeration.	ISO 12780	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10044 10044* 30083 402190 412190 470060 #
Nutrient Broth Broth for microorganisms culture.	APHA	20 tubes 6 bottles x 100 mL	24103 402000
Nutrient Gelatin Medium for gelatin liquefaction test.		20 tubes	24153 #
O.F. Medium with Glucose Semi-solid medium for determining the oxidative and/or fermentative metabolism of Gram-negative bacilli.		20 tubes	24345
OGYE Agar (Oxytetracycline) Selective medium for yeasts and moulds isolation.	ISO 7954	20 plates 100 plates	11055 11055*
ONPG Agar Medium for lactose fermenting bacteria differentiation.		10 tubes	33066 #
Orange Serum Agar Medium for isolation and count of bacteria and yeasts in citrus fruits and derivatives.	APHA	20 plates	10089 #
PAR Test Agar Medium containing spores of <i>Geobacillus stearothermophilus</i> var. <i>calidolactis</i> C953 for residual antibiotic detection in biological liquids, milk and food. Blank Discs Paper discs.		20 plates 100 plates 250 discs	11200 11200* 9999
Peptone Water Medium for indole production test.	ISO 7251	20 tubes 6 bottles x 100 mL	24098 402130
Phenol Red Broth Base broth for carbohydrate fermentation.		10 tubes	21146 #
Phenylalanine Agar Medium for enterobacteria differentiation. Ferric Chloride 10% Reagent for phenylalanine deamination test.		10 tubes 6 bottles x 200 mL 2 bottles x 25 mL 20 x 2.5 mL	30085 412170 80272 87004
Physiological Solution Physiological solution for microbiological use.		20x7 mL 6 x 500 mL 6 x 240 mL	20095 473000 471120
Plate Count Agar Medium for bacterial count in water and foodstuffs.	ISO 4833	20 plates 100 plates 10 tubes 10 tubes x 22 mL 6 bottles x 100 mL 6 bottles x 150 mL 6 bottles x 200 mL 6 bottles x 500 mL	10032 10032* 33070 # 34073 402260 401940 412260 470180
Potato Dextrose Agar Medium for yeasts and moulds enumeration.	E.P.	20 plates 100 plates	11199 # 11199*
Pseudomonas CN Agar Selective medium for <i>Pseudomonas</i> spp. isolation.	EN 12780	20 plates	11034
Pseudomonas Selective Agar (CFC) (Cetrimide, Fucidin, Cephaloridine) Selective medium for <i>Pseudomonas</i> spp. isolation.		20 plates	10061
Purple Glucose Agar Medium for enterobacteriaceae identification.	ISO 21528	20 tubes	24151
Purple Lactose Broth Broth for coliforms isolation.		10 tubes	20140 #
R2 Agar Medium for heterotrophic microorganisms count in drinking water.	E.P.	20 plates 6 bottles x 500 mL 6 bottles x 500 mL screw cap	10019 472580 463110 #
Rappaport Broth w/o Soy Selective enrichment liquid medium for detection of motile <i>Salmonella</i> spp. from food and environmental samples.		20 tubes x 10 mL	24450 #
Rappaport Vassiliadis Soy (RSV) Broth Broth for <i>Salmonella</i> enrichment.	ISO 6785 ISO 6579	20 tubes 100 tubes 6 bottles x 100 mL	24400 26400 402550 #

Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
			
Rogosa Agar Selective medium for lactobacilli isolation and enumeration.		20 plates	10039 #
Rose Bengal CAF Agar Selective medium for yeasts and moulds isolation and enumeration.	APHA	20 plates 100 plates 6 bottles x 100 mL	10034 10034* 442480 #
RPMI Agar (2% glucose + MOPS) Medium for antifungal susceptibility testing.		20 plates 10 plates 140 mm	11509 10233 #
RPMI Broth Broth for the antifungal susceptibility testing with broth dilution method.		20 tubes	24461 #
SF Broth Selective Broth for fecal streptococci isolation.	AOAC	20 tubes	24411
SPS Agar Medium for <i>Clostridium perfringens</i> isolation and enumeration.	APHA	20 plates 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 150 mL	11196 # 11196* # 33065 442490 401930
SS Agar Selective medium for <i>Salmonella</i> and <i>Shigella</i> isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	10036 10036* 402300 412300
Sabouraud Dextrose Agar Medium for yeasts and moulds isolation.	E.P.	20 plates 20 plates Irradiated 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10035 10035S # 10035* 30093 402280 412280 470040
Sabouraud CAF Agar Selective medium for pathogenic fungi isolation.		20 plates 100 plates 6 bottles x 100 mL 6 bottles x 200 mL	11035 11035* 402370 412370
Sabouraud CAF Agar + Actidione Selective medium for pathogenic fungi isolation.		10 tubes	30024 #
Sabouraud CAF Agar + Gentamicin Selective medium for pathogenic fungi isolation.		20 plates	10235
Sabouraud CAF Agar + TTC Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11235 # 11235*
Sabouraud Agar + Gentamicin Selective medium for pathogenic fungi isolation.		20 plates 100 plates	11335 11335*
Sabouraud Dextrose Agar + Lactamator 500 IU + Neutralizing (Irradiated) Medium for yeasts and moulds isolation with inactivation of β -lactam antibiotics and disinfectants.		20 plates	10108S #
Sabouraud Dextrose Agar + 0.1% Penase + Neutralizing (Irradiated) Medium for yeasts and moulds isolation with inactivation of disinfectants and penicillins.		20 plates	10088S #
Sabouraud Dextrose Broth Broth for yeasts and moulds culture.	E.P.	20 tubes 6 bottles x 100 mL 6 bottles x 500 mL	24109 402040 # 471070 #
Scedosporium Selective Agar Selective medium for the detection of <i>Scedosporium</i> spp. from clinical specimens.		20 plates	10425 #
Schaedler Broth Culture Broth for anaerobic bacteria culture.		10 tubes	22130
Schaedler CNA Agar (Sheep blood 5%) Medium for cultivating and isolating fastidious organisms.		20 plates	10405
Schaedler K Agar (Sheep blood 5%) Medium for antimicrobial susceptibility testing of anaerobic bacteria.		20 plates 100 plates	11065 11065*
Schaedler KKV Agar (Sheep blood 5%) Selective medium for anaerobic gram-negative bacteria isolation		20 plates 100 plates	10065 10065*
Selenite Broth Broth for <i>Salmonella</i> spp. enrichment.	APHA	20 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	24110 402050 412050 470020
Selenite Cystine Broth Broth for selective enrichment of <i>Salmonella</i> spp.	ISO 6785	20 tubes 6 bottles x 100 mL	24510 # 402390

Ready culture media in petri dishes, tubes, bottles		# Product with minimum order	
Description		Packaging	Ref.
Serum Broth Broth for fastidious microorganisms enrichment.		20 tubes	24125 #
SIM Medium Differential medium for indole, motility and H ₂ S tests.		U.S.P. 10 tubes 6 bottles x 100 mL	30095 403050
Simmons Citrate Agar Differential medium for enterobacteria identification.		ISO 10273 10 tubes 6 bottles x 200 mL	30011 412030
Slanetz-Bartley Agar Selective medium for fecal streptococci enumeration and isolation.		ISO 7899-2 20 plates 100 plates	11058 11058*
Streptococcal KF+TTC Agar Selective medium for fecal streptococci isolation and enumeration.		APHA 20 plates 100 plates 10 tubes	10038 10038* 30010 #
Streptococcal KF Agar Selective medium for fecal streptococci isolation and enumeration.		APHA 6 bottles x 100 mL	402150
TTC 1% supplement Supplement for bacteria differentiation		5x10 mL	80300
Streptococcus Broth Selective broth for streptococci isolation.		20 tubes	24412
Sulfate Reducers Broth Broth for sulfate reducers bacteria detection.		20 tubes	24440 #
TCBS Agar Selective medium for <i>Vibrio</i> spp. isolation.		ISO 8914 20 plates 100 plates	11195 11195*
TSI Agar Differential medium for enterobacteriaceae identification.		U.S.P. 10 tubes 6 bottles x 200 mL	30096 413020
Tergitol TTC Agar Selective medium for coliforms enumeration and identification.		ISO 9308-1 20 plates 100 plates	10428 # 10428* #
Tergitol 7 Agar Selective medium for detecting <i>E. coli</i> and coliforms.		20 plates	10417 #
Tetrathionate Broth Selective enrichment medium for the isolation of <i>Salmonella</i> spp.		20 tubes	24451 #
Thayer-Martin Agar Selective medium for pathogenic neisseriae isolation.		20 plates 100 plates	11040 11040*
Thioglycollate Medium Broth for aerobic and anaerobic bacteria culture in sterility tests.		ISO 7937 20 tubes 100 tubes 6 bottles x 100 mL 25 bottles x 100 mL	24124 26124 452060 453060
Thioglycollate Medium + 1% Tween 80 Broth for aerobic and anaerobic bacteria culture in sterility tests.		6 bottles x 100 mL 25 bottles x 100 mL	402500 452500
Todd Hewitt Broth Medium for group A β-haemolytic streptococci culture.		20 tubes 6 bottles x 200 mL	24111 412060
Todd Hewitt Broth w Colistin / Nalidixic Acid Selective medium for cultivating and isolating group B streptococci.		20 tubes	24145
Trichomonas Broth Culture broth for <i>Trichomonas</i> spp.		20 tubes 6 bottles x 500 mL	24115 470150 #
Triple Sugar Iron Agar Differential medium for enterobacteriaceae identification.		ISO 6579 10 tubes	30100
Tryptic Soy Agar Medium for non-fastidious bacteria growth.		E.P. 20 plates 20 plates Irradiated 20 plates 18 mL Irradiated 100 plates 10 tubes 6 bottles x 100 mL 6 bottles x 200 mL 6 bottles x 500 mL	10037 10037S 10076S 10037* 30082 442290 432290 470010
Tryptic Soy Agar (Sheep blood 5%) Medium for fastidious bacteria isolation.		20 plates 100 plates	11037 11037*
Tryptic Soy Agar + Lactamator 500UI + Neutralizing (Irradiated) Irradiated medium for non-fastidious bacteria growth with inactivation of β-lactam antibiotics and disinfectants.		20 plates	10104S #
Tryptic Soy Agar + Neutralizing (Irradiated) Irradiated medium for non-fastidious bacteria growth with inactivation of disinfectants.		20 plates	10074S #







Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description		Packaging	Ref.
Tryptic Soy Agar + 0.1% Penase + Neutralizing		20 plates	10086 #
Tryptic Soy Agar + 0.1% Penase + Neutralizing (Irradiated)		20 plates	10086S #
Tryptic Soy Agar + 1% Penase + Neutralizing		20 plates	10085 #
Tryptic Soy Agar + 5% Penase + Neutralizing		20 plates	11137 #
Medium for bacterial count with inactivation of antibiotics and disinfectants.			
Tryptic Soy Agar + Neutralizing + Penase + Cephalosporinase (Irradiated)		20 plates	10106S #
Medium for microbial detection with inactivation of β -lactam antibiotics and disinfectants.			
Tryptic Soy Broth	E.P.	20 tubes	24513
Broth for fastidious bacteria growth.		100 tubes	26513
		6 bottles x 100 mL	452080
		25 bottles x 100 mL	455208
		6 bottles x 200 mL	442080
		6 bottles x 900 mL	463090 #
Tryptic Soy Broth + Capitol 4		6 bottles x 90 mL	442090 #
Broth for microbiological testing of cosmetic products.		6 bottles x 190 mL	442150 #
		6 bottles x 490 mL	463080 #
		8 bottles x 990 mL	463010 #
Tryptic Soy Broth + 1% Tween 80		6 bottles x 100 mL	400270 #
Broth for fastidious bacteria growth.		25 bottles x 100 mL	453270 #
		6 bottles x 200 mL	412110 #
Tryptic Soy Broth + 0.5% Lecithin + 4% Tween 20		6 bottles x 100 mL	442110 #
Broth for microbial growth, especially used in cosmetic applications.		6 bottles x 1000 mL	463020
Tryptic Soy Broth + 0.3% Lecithin + 2% Tween 20		20 tubes	24460 #
Broth for microbial growth, especially used in cosmetic applications.			
Tryptic Soy Broth + Lecithin + Tween 80		6 bottles x 90 mL (100 mL bottle)	403500 #
Broth for microbial growth, especially used in cosmetic applications.		6 bottles x 90 mL (200 mL bottle)	413500 #
Tryptophan Broth	ISO 9308	20 tubes x 3 mL	24073
Medium for indole reaction.		100 tubes x 3 mL	26073
Tryptone Water	ISO 3811	10 tubes	20136
Medium for <i>Escherichia coli</i> determination.		6 bottles x 100 mL	401980
Tryptose Agar	APHA	10 tubes	30097
Medium for fastidious bacteria growth.		6 bottles x 100 mL	402320 #
Tryptose Broth		20 tubes	24112
Broth for fastidious bacteria enrichment.		6 bottles x 100 mL	402070 #
Tryptose Sulfite Agar		20 tubes x 12 mL	24456 #
Basal medium for the presumptive identification of <i>Clostridium perfringens</i> .		100 tubes x 12 mL	26456 #
Tryptose Sulfite Cycloserine Agar Base	ISO 7937	6 bottles x 90 mL	402700
Medium for anaerobic sulfite reducing bacteria detection in foodstuffs.			
Violet Red Bile Glucose Agar	ISO 21528-2	20 plates	11184
Selective medium for enterobacteria isolation and count.	E.P.	6 bottles x 100 mL	402540
		25 bottles x 100 mL	450254
Violet Red Bile Lactose Agar	ISO 4832	20 plates	11183
Selective medium for coliforms isolation and enumeration.		100 plates	11183*
		10 tubes x 22 mL	34076
		6 bottles x 100 mL	402460
Violet Red Bile Lactose Agar + MUG		20 plates	10012 #
Selective medium for isolation and enumeration of coliforms and <i>Escherichia coli</i> .			
Urea Broth		20 tubes	24416
Medium for enterobacteria differentiation.			
Urea / Indole Broth		6 bottles x 100 mL	403060
Medium for indole and urease test.			
Vagitube		20 tubes	20340
Medium for the search for <i>Trichomonas vaginalis</i> and for yeasts in urogenital samples.			
Vogel Johnson Agar	U.S.P.	20 plates	11185 #
Selective medium for <i>Staphylococcus aureus</i> isolation.		100 plates	11185* #
Wurtz Lactose Agar		20 plates	10054
Medium for enterobacteria isolation.		100 plates	10054*
		6 bottles x 100 mL	442300
XLD Agar	ISO 6579	20 plates	10056
Differential and selective medium for pathogenic enterobacteria isolation.	ISO 21567	100 plates	10056*

Ready culture media in petri dishes, tubes, bottles

Product with minimum order

Description			Packaging	Ref.
XLD Agar Pharmacopoeia formulation Differential and selective medium for pathogenic enterobacteria isolation.	     	EP, USP, JP, BP	20 plates	10413
XLT4 Agar Selective medium for <i>Salmonella</i> spp. isolation.			20 plates	10069
Yeast Extract Agar Medium for microorganisms enumeration in water.		ISO 6222	20 tubes 20 mL 100 tubes 20 mL 20 tubes 10 mL 6 bottles x 200 mL	34074 # 26074 # 31102 # 412120
Yeast Glucose Chloramphenicol Agar Selective medium for yeasts and moulds isolation and enumeration.		ISO 7954	20 plates	10011
Yersinia Broth Enrichment broth for <i>Yersinia enterocolitica</i> isolation.			20 tubes	24432
Yersinia Selective Agar Selective medium for <i>Yersinia enterocolitica</i> isolation.		ISO 10273	20 plates 100 plates	10052 10052*
YSG Agar Medium for detecting <i>Alicyclobacillus</i> in fruit juices and other beverages.			20 plates	10430 #
YSG Broth Liquid medium for detecting <i>Alicyclobacillus</i> in fruit juices and other beverages.			6 bottles x 90 mL	402610 #

Haemoculture bottles



Description	Packaging	Ref.
HEMO-AEROBIC CULTURING Medium for blood culture of aerobic microorganisms.	6 bottles x 80 mL	490010
HEMO-AEROBIC CULTURING <i>Pediatric</i> Medium for blood culture of aerobic microorganisms (pediatric use).	6 bottles x 40 mL	490030
HEMO-AEROBIC CULTURING <i>Neonatal</i> Medium for blood culture of aerobic microorganisms (neonatal use).	6 bottles x 9 mL	490050
HEMO-ANAEROBIC CULTURING Medium for blood culture of anaerobic microorganisms.	6 bottles x 80 mL	490020
HEMO-ANAEROBIC CULTURING <i>Pediatric</i> Medium for blood culture of anaerobic microorganisms (pediatric use).	6 bottles x 40 mL	490040
HEMO-ANAEROBIC CULTURING <i>Neonatal</i> Medium for blood culture of anaerobic microorganisms (neonatal use).	6 bottles x 9 mL	490060

GASPAK: Anaerobiosis, Microaerophilia, Capnophilia
 Containers, Generators, Indicators, Disposable pouches.



Description	Packaging	Ref.
GasPak EZ Standard Container	1 unit	96720
GasPak EZ Standard Rack	1 unit	96721
GasPak EZ Large Container	1 unit	96722
GasPak EZ Large Rack	1 unit	96723
GasPak EZ Anaerobe Container System Sachet	20 units	96724
Indicator of anaerobiosis	100 units	96725
GasPak EZ Anaerobe Container System Sachet with indicator	20 units	96726
GasPak EZ Campy Container System Sachet	20 units	96727
GasPak EZ CO₂ Container System Sachet	20 units	96728
GasPak CO₂ Indicator	50 units	96729
GasPak EZ Anaerobe Pouch System	20 units	96730
GasPak EZ CO₂ Pouch System	20 units	96731
GasPak EZ Campy Pouch System	20 units	96732

Ready culture media in two sectors petri dishes

Product with minimum order



Description	Packaging	Ref.
Baird Parker / MacConkey Selective media for <i>Staphylococcus aureus</i> and gram-negatives isolation.	20 plates 100 plates	18500 # 18500* #
Baird Parker / Sabouraud CAF Selective media for <i>Staphylococcus aureus</i> , yeasts and moulds isolation.	20 plates 100 plates	18390 # 18390* #
Brilliant Green / S.S. Selective media for <i>Salmonella</i> spp. isolation.	20 plates 100 plates	18012 # 18012* #
Cled / MacConkey Media for total bacterial count and gram-negatives isolation in urine.	20 plates 100 plates	18502 # 18502* #
Columbia C.N.A. / Chocolate Selective medium for staphylococci, streptococci, pneumococci and non selective medium for fastidious bacteria isolation.	20 plates 100 plates	18507 # 18507* #
Columbia C.N.A. / Gardnerella V. Selective media for streptococci, staphylococci, pneumococci and <i>Gardnerella vaginalis</i> isolation.	20 plates 100 plates	18422 # 18422* #
Columbia C.N.A. / MacConkey Selective media for streptococci, staphylococci, pneumococci and gram-negative isolation.	20 plates 100 plates	18327 # 18327* #
D.T.M. / Sabouraud Selective media for dermatophytes, yeasts, moulds isolation.	20 plates 100 plates	18595 # 18595* #
Gardnerella V. / Thayer Martin Selective media for <i>Gardnerella vaginalis</i> and pathogenic neisseriae isolation.	20 plates 100 plates	18379 # 18379* #
Hektoen Enteric / Yersinia Selective media for enteric pathogens and <i>Yersinia enterocolitica</i> isolation.	20 plates 100 plates	18391 # 18391* #
Hektoen Enteric / S.S. Selective media for enteric pathogens isolation.	20 plates 100 plates	18503 # 18503* #
MacConkey / Sabouraud CAF Selective media for coliforms and pathogenic fungi detection.	20 plates	18018 #
MacConkey / Leifson Selective media for enteric bacteria isolation / <i>Salmonella</i> and <i>Shigella</i> spp. according to Leifson.	20 plates	18019 #
MacConkey / S.S. Selective media for enteric pathogens isolation.	20 plates 100 plates	18505 # 18505* #
MacConkey / T.S.A. Blood Media for gram-negatives and fastidious bacteria isolation.	20 plates 100 plates	18380 # 18380* #

Ready culture media in three sectors petri dishes

Product with minimum order



Description	Packaging	Ref.
Baird Parker / Biggy / MacConkey Selective media for <i>Staphylococcus aureus</i> , <i>Candida</i> spp. and gram-negatives isolation.	20 plates 100 plates	13013 # 13013* #
Baird Parker / Bile Esc. / Sabouraud CAF Selective media for <i>Staphylococcus aureus</i> , group D streptococci and fungi isolation.	20 plates 100 plates	13602 # 13602* #
Baird Parker / MacConkey / Sabouraud CAF Selective media for <i>Staphylococcus aureus</i> , gram-negatives and fungi isolation.	20 plates 100 plates	13371 # 13371* #
Chocolate / Columbia CNA / Thayer Martin Media for fastidious bacteria, streptococci, staphylococci, pneumococci and pathogenic neisseriae isolation.	20 plates 100 plates	13014 # 13014* #
Cled / Enterococcus / MacConkey Media for total bacterial count in urine and isolation of enterococci and gram-negatives.	20 plates 100 plates	13614 # 13614* #
Cled / MacConkey / Cetrimide Media for total bacterial count and for Gram-negative bacteria and <i>Pseudomonas aeruginosa</i> detection.	20 plates 100 plates	13019 # 13019* #
Gard. V. / Rogosa / Thayer Martin Media for <i>Gardnerella vaginalis</i> , lactobacilli, pathogenic neisseriae isolation.	20 plates 100 plates	13345 # 13345* #
MacConkey / V. Johnson / Sabouraud Media for gram-negatives, <i>Staphylococcus aureus</i> and fungi isolation.	20 plates 100 plates	13480 # 13480* #

Media for susceptibility testing of mycobacteria			# Product with minimum request
Description	µg / mL	Packaging	Ref.
Lowenstein Jensen + AMIKACIN	5	10 tubes	34127 #
Lowenstein Jensen + CAPREOMYCIN	10	10 tubes	34138/1 #
Lowenstein Jensen + CYCLOSERINE	30	10 tubes	34137/1 #
Lowenstein Jensen + Ethambutol	2	10 tubes	34126/1 #
Lowenstein Jensen + Ethambutol	4	10 tubes	34126/2 #
Lowenstein Jensen + Ethambutol	5	10 tubes	34126/3 #
Lowenstein Jensen + ETHIONAMIDE	10	10 tubes	34132/1 #
Lowenstein Jensen + ETHIONAMIDE	20	10 tubes	34132/2 #
Lowenstein Jensen + ETHIONAMIDE	30	10 tubes	34132/3 #
Lowenstein Jensen + Isoniazide	0.1	10 tubes	34123 #
Lowenstein Jensen + Isoniazide	0.2	10 tubes	34123/1 #
Lowenstein Jensen + Isoniazide	1	10 tubes	34123/2 #
Lowenstein Jensen + Isoniazide	5	10 tubes	34123/3 #
Lowenstein Jensen + Kanamycin	10	10 tubes	34143/1 #
Lowenstein Jensen + Kanamycin	20	10 tubes	34143/2 #
Lowenstein Jensen + Kanamycin	30	10 tubes	34143/3 #
Lowenstein Jensen + Levofloxacin	2	10 tubes	34146/1 #
Lowenstein Jensen + NICOTINAMIDE	10	10 tubes	34135/1 #
Lowenstein Jensen + NICOTINAMIDE	20	10 tubes	34135/2 #
Lowenstein Jensen + NICOTINAMIDE	30	10 tubes	34135/3 #
Lowenstein Jensen + OFLOXACIN	5	10 tubes	34128/1 #
Lowenstein Jensen + OFLOXACIN	10	10 tubes	34128/2 #
Lowenstein Jensen + OFLOXACIN	25	10 tubes	34128/3 #
Lowenstein Jensen + PAS	0.5	10 tubes	34129/3 #
Lowenstein Jensen + PAS	1	10 tubes	34129/1 #
Lowenstein Jensen + PAS	10	10 tubes	34129/2 #
Lowenstein Jensen + PEFLOXACIN	2	10 tubes	34136 #
Lowenstein Jensen + PIRAZINAMIDE	5	10 tubes	34124/1 #
Lowenstein Jensen + PIRAZINAMIDE	15	10 tubes	34124/2 #
Lowenstein Jensen + PIRAZINAMIDE	20	10 tubes	34124/3 #
Lowenstein Jensen + PIRAZINAMIDE	200	10 tubes	34124/4 #
Lowenstein Jensen + PYRUVATE	0.2%	10 tubes	34144 #
Lowenstein Jensen + RIFABUTIN	10	10 tubes	34130/1 #
Lowenstein Jensen + RIFABUTIN	30	10 tubes	34130/2 #
Lowenstein Jensen + RIFABUTIN	50	10 tubes	34130/3 #
Lowenstein Jensen + RIFAMPICIN	5	10 tubes	34121/1 #
Lowenstein Jensen + RIFAMPICIN	10	10 tubes	34121/2 #
Lowenstein Jensen + RIFAMPICIN	15	10 tubes	34121 #
Lowenstein Jensen + RIFAMPICIN	20	10 tubes	34121/6 #
Lowenstein Jensen + RIFAMPICIN	25	10 tubes	34121/3 #
Lowenstein Jensen + RIFAMPICIN	40	10 tubes	34121/5 #
Lowenstein Jensen + RIFAMPICIN	50	10 tubes	34121/4 #
Lowenstein Jensen + RIFAPENTIN	9	10 tubes	34122 #
Lowenstein Jensen + STREPTOMYCIN	4	10 tubes	34125/1 #
Lowenstein Jensen + STREPTOMYCIN	10	10 tubes	34125/2 #
Lowenstein Jensen + STREPTOMYCIN	25	10 tubes	34125/3 #
Lowenstein Jensen + TCH	2	10 tubes	35148 #

Different antimicrobial agents and concentrations can be produced on specific request.